総公司
アップリカ・チルドレンズプロダクツ合同会社
本社/大阪店 — 〒542-0082大阪市中央区島之内1-13-13 TEL0120-415-814
Aprica Children's Products G.K.
1-13-13, Shimanouchi, Chuo-Ku, Osaka, Japan

進口商
台灣愛普力卡股份有限公司
總公司營業部 地址：新竹縣竹北市台元街28號5樓之3
電話：(03)5525688 傳真：(03)5525690
維修服務中心 地址：新竹縣竹北市福興路885號
電話：(03)6561261 傳真：(03)6561267
公司網址：http://www.aprica.com.tw
意見信箱：0800@aprica.com.tw 統一編號：22662003

NWL00485432E


Carry Travel System

多用途攜帶旅行組

Carry Travel System

使 用 說 明 書

Aprica



非常感謝您購買此產品。
此產品適用於出生後1個月～36個月，體重15kg以下的嬰幼兒。Carry Travel System為1個寶寶使用的揹巾結合手推車的多用途攜帶旅行組，讓您無須另外將嬰幼兒抱起，即可輕鬆將嬰幼兒連同揹巾置於手推車上或抱離手推車。揹巾可用於橫向式懷抱與直立式懷抱。

※本說明書所敘述的出生後1個月，指的是母親懷孕37周以上，出生時體重超過2.5公斤以上，出生超過1個月的嬰幼兒。
※僅使用揹巾於直立式懷抱狀態下的寶寶(24個月～36月個左右)，不符合ＳＧ適用範圍內。



橫向式懷抱



直立式懷抱

・使用前，請詳細閱讀手推車使用說明書、揹巾使用說明書，以及Carry Travel System使用說明書（本書）並正確使用。使用後，請妥善保管此書。
・請勿使用本說明書內容以外的方法操作本產品。不僅無法充分發揮本產品的功能也十分危險。
・單獨使用手推車或揹巾時，請依照各別使用說書明所記載的方法使用。

目 錄

前言
使用前的注意事項 ・・・・・・・・・・・・ 1
嬰幼兒的使用期間
本說明書的標示
使用上請注意 ・・・・・・・・・・・・・・ 2
警告／注意
揹巾／各部位名稱 ・・・・・・・・・・・・ 3
手推車／各部位名稱 ・・・・・・・・・・・ 4

橫向式懷抱（寶寶頸部安定前）
使用橫向式懷抱揹巾時的安裝方法 ・・・・・ 5
讓嬰幼兒乘坐手推車的方法 ・・・・・・・・ 7
以揹巾將手推車上的嬰幼兒抱起 ・・・・・・ 8
將揹巾上的嬰幼兒置放於手推車內的方式・ １０

直立式懷抱（寶寶頸部安定後）
使用直立式懷抱揹巾時的安裝方法 ・・・・ １２
讓嬰幼兒乘坐手推車的方法 ・・・・・・・ １４
以揹巾將手推車上的嬰幼兒抱起 ・・・・・ １５
將揹巾上的嬰幼兒置放於手推車內的方式・ １８
拆下新生兒保護墊的揹巾使用方式 ・・・・ ２０

其他
安眠型遮頭護罩使用方法 ・・・・・・・・ ２２

使用前的注意事項


使用前，請先詳閱本書、手推車使用說明書，以及揹巾使用說明書，並正確地使用。


- 手推車與揹巾請搭配同品牌（Aprica、GRACO）產品使用。
- 請確認手推車與揹巾上附有Carry Travel System標章（CTS標章）。
  未附有此標章之產品，無法使用Carry Travel System。
- 手推車與揹巾的品牌（Aprica、GRACO）不同時，請參閱附於揹巾產品包裝內的Carry Travel System使用說明書。
- 本說明書所使用的插圖、組裝等，為求簡單明瞭，並非與實品完全相同。
  請以實際物品為主。

CTS標章

嬰幼兒的使用期間

- SG標章的適用對象為使用時期在紅線範圍內者。使用時期在黑線範圍內者（24個月到36月個大使用直立式懷抱狀態下的嬰幼兒）則不在適用對象內。





※年齡及體重為參考數字，請依嬰幼兒實際成長狀態使用本揹巾。
※因使用者體型差異或冬天穿著厚重衣物等因素， 有時可能造成無法使用本產品。

・描掃右方的QR Code即可觀看安裝確認影片。請觀看影片做為本書之補充說明。

關於本書的標示

○「警告」、「注意」、「禁止」等符號是預測您未遵守注意事項的情況下，依據危害、損害的嚴重性來作區分。標示所表示的內容十分重要，請您務必遵守。

標　示	標　示　之　內　容
⚠警告	使用方法錯誤時，可能會造成人員死亡或重傷等情形。
⚠注意	使用方法錯誤時，可能會造成人員受傷、使物品損壞等情形。

禁　止	標　示　之　意　義
🚫	請勿操作本說明書所禁止的行為。

建議	使用產品時的便利小建議。

使用上請注意

○為避免意外事故發生，使用前請務必詳閱使用說明書，並且正確地使用。

⚠警告　使用方法錯誤時，可能會造成人員死亡或重傷等情形。

如在不穩定的場所進行，可能導致嬰幼兒跌落。

需將嬰幼兒連同揹巾一併安置於手推車上時，請務必在安全的場所進行。



需將嬰幼兒連同揹巾一併自手推車中抱起時，請務必在安全的場所進行。



揹帶若卡到車輪，手推車可能因此翻覆。

揹巾的肩部安全揹帶、腰部安全帶請務必收納至多用途攜帶旅行組收納袋裡。



因恐嬰幼兒有被安全帶纏繞導致窒息的危險。

揹巾的肩部安全揹帶、腰部安全帶請務必收納至多用途攜帶旅行組收納袋裡。



可能導致嬰幼兒受傷。

解開揹巾肩部安全揹帶固定扣時，請務必扣緊肩部安全揹帶套固定扣。



可能導致嬰幼兒受傷。

揹巾肩部安全揹帶固定扣、調整式固定扣、腹部固定扣、腰部固定扣請務必確實扣牢。



可能導致嬰幼兒跌落或其他意外事故。

新生兒保護墊安全帶請正確安裝在肩部安全揹帶套內。




如肩部安全揹帶鬆脫，可能導致車輪卡住等事故。


請勿在多用途攜帶旅行組收納袋內放置其他物品。



揹巾／各部位名稱



〈揹巾背面〉



〈付屬品〉



安眠型遮頭罩
（僅在取下新生兒保護墊時使用）
（請參閱P.22）




使用說明書




多用途攜帶旅行組
使用說明書（本書）

手推車／各部位名稱



〈靠背背面〉



〈付屬品〉



預防呼吸道閉塞型
保護頭墊



腰部・臀部守護墊



使用說明書



多用途攜帶旅行組
使用說明書（本書）


使用橫向式懷抱揹巾時的安裝方法（寶寶頸部安定前）

⚠警告


○讓嬰幼兒乘坐手推車時，請務必於安全的場所進行。
如在不穩定的場所進行，可能導致嬰幼兒跌落等危險發生。

○請務必配合詳閱手推車與揹巾的使用說明書正確使用。


〈手推車的準備〉




❶鎖上手推車後輪車輪煞車器（左右）。
❷打開手堆車的按鈕式開放型扶手。



❸確認手推車上的預防呼吸道閉塞型保護頭墊、腰部・臀部守護墊已取下。
❹確認手推車上肩部安全揹帶位置位於下層。
・請慎重保管好手推車的腰部・臀部守護墊。




❺將靠背往後平躺。
（請參閱手推車使用說明書）




❻按下手推車的立體式股帶扣組，解開安全肩帶、安全腰帶、立體式股帶，向外側攤開。

〈揹巾的準備〉




❶按照箭頭方向，將魔鬼氈束帶穿過揹巾的預防呼吸道閉塞型保護頭墊安裝孔，黏扣住新生兒保護墊背面的魔鬼氈。


〈將揹巾安裝到手推車上〉



❶將揹巾新生兒保護墊上緣沿著手推車內側護墊上緣放置。




❷將手推車的立體式股帶穿過揹巾的懷抱型雙重束護帶與防護束帶之間的安全股帶導孔（⬆）。



❺扣上揹巾左右兩側的新生兒保護墊安全帶固定扣。
❻扣上揹巾左右兩側的肩部安全揹帶套固定扣。

⚠警告


○解開肩部安全揹帶固定扣時，請扣緊肩部安全揹帶套固定扣。
未正確固定住時，因恐嬰幼兒有受傷之虞。




❽整理揹巾左右兩側的肩部安全揹帶，一同收進手推車上的多用途攜帶旅行組收納袋。

⚠警告


○請確實收納好肩部安全揹帶。因恐肩部安全揹帶卡到車輪等處，可能導致手推車翻覆的危險。



❸解開揹巾左右兩側的新生兒保護墊安全帶固定扣。
❹掀起肩部安全揹帶套，解開左右的肩部安全揹帶固定扣（紅色⬆）。




❼將手推車的安全肩帶穿過揹巾的安全肩帶導孔（左右）。




❾解開揹巾左右兩側的腹部固定扣（黃色）。

橫向式懷抱


讓嬰幼兒乘坐手推車的方法（橫向式懷抱／寶寶頸部安定前）




・嬰幼兒乘坐前，請參閱P5 ~ P6 的「橫向式懷抱使用揹巾時的安裝方法」。




❶將嬰幼兒放置到手推車的座席上。




❷揹巾的懷抱型雙重束護帶覆蓋到嬰幼兒的腹部部位，插入左右的腹部固定扣（黃色）直到聽到「喀嚓」聲響。




❸將手推車的安全肩帶插入肩帶固定勾環後，再將安全腰帶插入立體式股帶固定扣。



❹配合嬰幼兒的體型調整手推車安全肩帶與安全腰帶的長度。（請參閱手推車使用說明書）



❺扣入手推車的按鈕式開放型扶手。




〈嬰幼兒乘坐時的狀態〉


以揹巾將手推車上的嬰幼兒抱起

⚠警告


○嬰幼兒乘坐於手推車時，若需以揹巾自手推車上將嬰幼兒抱起時，請務必於安全的場所進行。
如在不穩定的場所進行，可能導致嬰幼兒跌落等危險發生。




・請先確認橫向式懷抱的揹巾已裝置在手推車上。




❶確認手推車的後輪車輪煞車器已鎖住（左右）。




❷打開手推車的按鈕式開放型扶手。




❸按下手推車的立體式股帶扣組，解開安全肩帶、安全腰帶和立體式股帶，將安全腰帶與立體式股帶向外側攤開。



❹將揹巾的安全肩帶導孔拔出手推車的安全肩帶（左右）。



❺解開揹巾的肩部安全揹帶套固定扣。




❻解開揹巾左右兩側的新生兒保護墊安全帶固定扣。


〈接續下一頁〉

以揹巾將手推車上的嬰幼兒抱起

（承續上頁）




❼自手推車的多用途攜帶旅行組收納袋中取出揹巾肩部安全揹帶。




❽插入揹巾左右兩側的肩部安全揹帶固定扣（紅色⬆）直到聽見「喀擦」聲，並避免扭轉揹帶。

⚠警告
○請正確安裝肩部安全揹帶。如未正確安裝，可能導致嬰幼兒跌落等意外事故。




❾將揹巾左右兩側的新生兒保護墊安全帶固定扣（↩2）環繞並扣緊肩部安全揹帶套。


⚠警告
○請將新生兒保護墊安全帶正確安裝到肩部安全揹帶套。如未正確安裝，可能導致嬰幼兒跌落等意外事故。



❿將揹巾左右兩側的肩部安全揹帶相疊，從肩膀往腋下斜掛。



❿確認揹巾肩部安全揹帶上的調整式安全固定扣未鬆脫。
⓫由揹巾的安全股帶導孔（⬆）抽出手推車的立體式股帶。





〈橫向式懷抱嬰幼兒的狀態〉

建議
• 揹巾的位置，建議在使用者的橫隔膜上方、胸部下方為宜。


將揹巾上的嬰幼兒置放於手推車內的方式

⚠警告
○需將揹巾上的嬰幼兒置放於手推車上時，請務必於安全的場所進行。
如在不穩定的場所進行，可能導致嬰幼兒跌落等危險發生。







❶確認手推車的後輪車輪煞車器已鎖住（左右）。
❷打開手堆車的按鈕式開放型扶手。




❺雙手分別支撐著嬰幼兒的頭部與臀部，將嬰幼兒置放於手推車坐椅上。




❸將靠背往後平躺。
❹按下手推車的立體式股帶扣組，解開安全肩帶、安全腰帶和立體式股帶，將安全腰帶和立體式股帶向外側攤開。






❻將手推車的立體式股帶穿過揹巾的安全股帶導孔（⬆）。



❼解開揹巾的新生兒保護墊安全帶固定扣（左右）。




❽掀起肩部安全揹帶套，解開左右兩側的肩部安全揹帶固定扣（紅色⬆）。

〈接續下一頁〉


橫向式懷抱

將揹巾上的嬰幼兒置放於手推車內的方式 （承續上頁）




❾整理揹巾左右兩側的肩部安全揹帶，放入多用途攜帶旅行組收納袋內。

⚠警告 ○請確實收納肩部安全揹帶。因恐肩部安全揹帶卡到車輪等處，可能導致手推車翻覆的危險。




❿扣緊揹巾左右兩側的新生兒保護墊安全帶固定扣。
⓫扣緊揹巾左右兩側的肩部安全揹帶套固定扣。


⚠警告 ○解開肩部安全揹帶固定扣時，請扣緊肩部安全揹帶固定扣。如未確實扣緊，可能導致嬰幼兒受傷。




⓬將手推車的安全肩帶穿過揹巾的安全肩帶導孔（左右）。



⓭將手推車的安全肩帶插入肩帶固定勾環，安全腰帶扣入立體式股帶扣組。




⓮配合嬰幼兒的體型，調整手推車的安全肩帶與安全腰帶長度。（請參閱手推車使用說明書）



⓯扣入手推車的按鈕式開放型扶手。


使用直立式懷抱揹巾時的安裝方法（寶寶頸部安定後）

〈手推車的準備〉




❶鎖上手推車後輪車輪煞車器（左右）。
❷取下手推車上的預防呼吸道閉塞型保護頭墊、腰部・臀部守護墊。
• 預防呼吸道閉塞型保護頭墊、腰部・臀部守護墊請謹慎保管。
❸將靠背往後平躺。
❹打開手堆車的按鈕式開放型扶手。
❺解開安全肩帶、安全腰帶、立體式股帶，向外側攤開。

〈揹巾的準備〉




❶將揹巾的新生兒保護墊護頭枕處向後反折，扣住固定扣。
❷解開揹巾肩部安全揹帶上的調整式安全固定扣。
❸從揹巾的收納網袋中拉出腰部安全帶。

〈將揹巾安裝到手推車上〉




❶將揹巾新生兒保護墊上緣沿著手推車內側護墊上緣放置。




❷將手推車的立體式股帶穿過安全股帶導孔（⇧）。

使用直立式懷抱揹巾時的安裝方法（寶寶頸部安定後）

（承續上頁）




❸將揹巾腰部安全帶的鬆緊帶勾掛到手推車腳踏板處的多用途攜帶旅行組專用掛勾，將腰部安全帶收納進手推車的多用途攜帶旅行組收納袋。




❹解開揹巾左右兩側的新生兒保護墊安全帶固定扣。

❺掀開肩部安全揹帶套，解開左右兩側的肩部安全揹帶固定扣（紅色）。



❻扣緊揹巾的新生兒保護墊安全帶固定扣。


❼扣緊肩部安全揹帶套固定扣。



❽將手推車的安全肩帶穿過揹巾的安全肩帶導孔（左右）。

⚠警告


○解開肩部安全揹帶固定扣時，請扣緊肩部安全揹帶套固定扣。如未確實扣緊，因恐造成嬰幼兒受傷之虞。



❾整理揹巾左右兩側的肩部安全揹帶，放入多用途攜帶旅行組收納袋內。

⚠警告


○請確實收納肩部安全揹帶及腰部安全帶。因恐肩部安全揹帶、腰部安全帶卡到車輪等處，可能導致手推車翻覆的危險。




〈讓嬰幼兒乘坐時的狀態〉

❿解開揹巾的腹部固定扣（黃色）。


讓嬰幼兒乘坐手推車的方法（直立式懷抱／寶寶頸部安定後）




• 嬰幼兒乘坐前，請參閱P12～P13的「使用直立式懷抱揹巾時的安裝方法」。




❶讓嬰幼兒乘坐於手推車的坐椅上。




❷將揹巾的懷抱型雙重束護帶覆蓋到嬰幼兒的腹部部位，插入左右兩側的腹部固定扣（黃色）直到聽到「喀嚓」聲響。




❸將手推車的安全肩帶插入肩帶固定勾環，安全腰帶扣入立體式股帶扣組。



❹配合嬰幼兒的體型調整手推車安全肩帶與安全腰帶的長度。（請參閱手推車使用說明書）



❺扣入手推車的按鈕式開放型扶手。




〈嬰幼兒乘坐時的狀態〉

以揹巾將手推車上的嬰幼兒抱起

⚠警告


○嬰幼兒乘坐於手推車時，若需以揹巾自手推車上將嬰幼兒抱起時，請務必於安全的場所進行。
如在不穩定的場所進行，可能導致嬰幼兒跌落等危險發生。




• 請先確認直立式懷抱的揹巾已裝置在手推車上。




❶確認手推車的後輪車輪煞車器已鎖住（左右）。




❷打開手推車的按鈕式開放型扶手。




❸按下手推車的立體式股帶扣組，解開安全肩帶、安全腰帶和立體式股帶，將安全腰帶與立體式股帶向外側攤開。




❹將手推車的安全肩帶自揹巾的安全肩帶導孔抽出（左右）。




❺解開揹巾的肩部安全揹帶套固定扣。



❻解開揹巾左右兩側的新生兒保護墊安全帶固定扣。




❼自手推車的多用途攜帶旅行組收納袋中取出揹巾肩部安全揹帶。



❽插入揹巾左右兩側的肩部安全揹帶固定扣（紅色⇧）直到聽見「喀擦」聲，並避免扭轉揹帶。

⚠警告


○請正確安裝肩部安全揹帶。如未正確安裝，可能導致嬰幼兒跌落等意外事故。




❾將揹巾左右兩側的新生兒保護墊安全帶固定扣（↻2）環繞並扣緊肩部安全揹帶套。

⚠警告


○請將新生兒保護墊安全帶正確安裝到肩部安全揹帶套。如未正確安裝，可能導致嬰幼兒跌落等意外事故。



❿自手推車的多用途攜帶旅行組收納袋取出腰部安全帶，將腰部安全帶的鬆緊帶自手推車的多用途攜帶旅行組專用掛勾上解開。



⓫由揹巾的安全股帶導孔（⇧）抽出手推車的立體式股帶。



⓬將揹巾左右兩側的肩部安全揹帶揹到兩肩上，抱起嬰幼兒。

〈接續下一頁〉


直立式懷抱

以揹巾將手推車上的嬰幼兒抱起


（承續上頁）

⚠警告


○揹巾的肩部安全揹帶固定扣、調整式安全帶固定扣、腹部固定扣、腰部固定扣請務必確實扣緊。以免導致嬰幼兒跌落等危險發生。



⓭扣緊脖子後方的揹巾調整式安全帶固定扣，調節調整式安全帶。




⓮確認嬰幼兒的腳已伸出揹巾，將揹巾的腰部固定扣穿過鬆緊帶，插入直到聽到「喀嚓」聲。



⓯調整揹巾的腰部安全帶，過長的安全帶以鬆緊帶束好。



⓰調整揹巾左右兩側的肩部安全揹帶。



⓱過長的安全帶以鬆緊帶束好。





〈直立式懷抱嬰幼兒的狀態〉

將揹巾上的嬰幼兒置放於手推車內的方式


⚠警告

○需將揹巾上的嬰幼兒置放於手推車上時，請務必於安全的場所進行。
如在不穩定的場所進行，可能導致嬰幼兒跌落等危險發生。







❶確認手推車的後輪車輪煞車器已鎖住（左右）。
❷打開手推車的按鈕式開放型扶手。
❸將靠背往後平躺。
❹按下手推車的立體式股帶扣組，解開安全肩帶、安全腰帶和立體式股帶，將安全腰帶和立體式股帶向外側攤開。




❺以手部支撐著嬰幼兒，同時解開揹巾的腰部安全帶固定扣。
❻手伸到背後，解開揹巾肩部安全揹帶上的調整式安全帶固定扣。



❽將手推車的立體式股帶穿過揹巾的安全股帶導孔（⇧）。



❼將揹巾的新生兒保護墊上緣沿著手推車內側護墊的上緣放置，將嬰幼兒置放於手推車座椅上。




❾將揹巾腰部安全帶上的鬆緊帶勾掛到多用途攜帶旅行組專用掛勾，將腰部安全帶收納到多用途攜帶旅行組收納袋。

〈接續下一頁〉


將揹巾上的嬰幼兒置放於手推車內的方式

（承續上頁）



⑩解開揹巾左右兩側的新生兒保護墊安全帶固定扣。


⑪掀起肩部安全揹帶套，解開左右兩側的肩部安全揹帶固定扣（紅色 ⇧）。



⑫整理揹巾左右兩側的肩部安全揹帶，放入多用途攜帶旅行組收納袋內。

⚠警告

○請確實收納肩部安全揹帶。因恐肩部安全揹帶卡到車輪等處，可能導致手推車翻覆的危險。




⑬扣緊揹巾左右兩側的新生兒保護墊安全帶固定扣。


⑭扣緊揹巾左右兩側的肩部安全揹帶套固定扣。

⚠警告


○解開肩部安全揹帶固定扣時，請扣緊肩部安全揹帶固定扣。如未確實扣緊，可能導致嬰幼兒受傷。



⑮將手推車的安全肩帶穿過揹巾的安全肩帶導孔（左右）。



⑯將手推車的安全肩帶插入肩帶固定勾環，安全腰帶扣入立體式股帶扣組。




⑰請配合嬰幼兒的體型，調整手推車安全肩帶與安全腰帶長度。（請參閱手推車使用說明書）

⑱扣入手推車的按鈕式開放型扶手。

新生兒保護墊的拆卸方式


〈揹巾的準備〉




❶解開揹巾的調整式安全帶固定扣。

❷解開揹巾左右兩側的新生兒保護墊安全帶固定扣。


❸掀起肩部安全揹帶套，解開左右兩側的肩部安全揹帶固定扣（紅色 ⇧）。



❹扣緊揹巾左右兩側的肩部安全揹帶套固定扣。




❺解開腹部固定扣（黃色）（左右）。



❻解開揹巾的腹部固定扣套固定扣，將腹部固定扣套穿過腹部固定扣套穿帶拉出（左右）。

〈手推車的準備〉



❶將手推車的靠背立起。

❷確認手推車安全肩帶位於中段、上段的位置。


- 有關手推車安全肩帶的高度調節，請參閱手推車使用說明書。

〈接續下一頁〉


新生兒保護墊的拆卸方式

（承續上頁）


〈將揹巾安裝到手推車上〉




❶將揹巾的安全股帶導孔（⇧）對準手推車的立體式股帶。




❷將手推車的立體式股帶穿過安全股帶導孔（⇧）。




❸將揹巾腰部安全帶的鬆緊帶勾掛到手推車腳踏板上的多用途攜帶旅行組專用掛勾，腰部安全帶收納進手推車的多用途攜帶旅行組收納袋。



❹掀起肩部安全揹帶套，解開左右兩側的肩部安全揹帶固定扣（紅色⇧）。



❺扣緊肩部安全揹帶套固定扣。




❻整理揹巾左右兩側的肩部安全揹帶，一同收進手推車上的多用途攜帶旅行組收納袋。

⚠警告

○解開肩部安全揹帶固定扣時，請扣緊肩部安全揹帶套固定扣。未正確固定住時，因恐嬰幼兒有受傷之虞。


⚠警告

○請確實收納肩部安全揹帶及腰部安全帶。因恐肩部安全揹帶、腰部安全帶卡到車輪等處，可能導致手推車翻覆的危險。



〈讓嬰幼兒乘坐時的狀態〉

❼解開揹巾的腹部固定扣（黃色）。




建議

• 放下或抱起嬰幼兒時，請確認揹巾是否已打開。

安眠型遮頭護罩使用方法


• 使用拆下新生兒保護墊的揹巾時，請裝上安眠型遮頭護罩。

〈安裝方法〉




❶將安眠型遮頭護罩的品質標示標籤朝向揹巾本體側。
❷將固定扣穿過固定環（左右）。
❸扣緊已穿過固定環的固定扣。
❹將固定扣扣緊肩部安全揹帶（左右）。

〈遮罩較淺時〉



〈遮罩較深時〉



• 安眠型遮頭護罩可配合嬰幼兒的成長兩段式調整。

• 欲拆下安眠型遮頭護罩時，請依步驟反向進行。
• 讓嬰幼兒乘坐手推車時，請拆下安眠型遮頭護罩，請參閱P18。

Carry Travel System

User Manual


***For ASEAN countries ONLY**

Thank you for purchasing this product.
This product is suitable for use with a baby of 1 month to 36 months old, with body weight up to 15kg. The Carry Travel System is a combination of a baby carrier and a baby stroller suitable for use with a single baby. It provides the convenience where the baby, together with the baby carrier, can be placed in or lifted out of the baby stroller directly, without having to remove the baby from the baby carrier separately. The baby carrier can be used for horizontal and vertical carrying.

※1 month old refers to babies who are 1 month after birth following 37 weeks of pregnancy and weigh above 2.5kg at birth.
※Babies who are carried using vertical carrying only (approximately 24 months to 36 months old) do not fall within the applicable range under SG.


Horizontal carrying


Vertical carrying



•Before use, please read the user manuals for the baby stroller, baby carrier and Carry Travel System (this manual) carefully, and use the products accordingly. Please keep this manual properly after use.
•Please do not use this product in ways other than those specified in this user manual. Otherwise, the product may not perform as indicated, and it may result in serious danger.
•When using the baby stroller or the baby carrier on its own, please refer to the respective manual for the operation of the product.

Index

Introduction
Things to note before use ・・・・・・・・・ 1
Baby's usage period
Markings used in this manual
Cautions regarding usage ・・・・・・・・・ 2
Warnings/cautions
Name of parts for baby carrier ・・・・・・・ 3
Name of parts for baby stroller ・・・・・・・ 4

Horizontal carrying (Before baby's neck is stable)
Setup when baby carrier is used for horizontal carrying ・・・・・・・・・・・・ 5
Placing the baby in the baby stroller ・・・・・ 7
Lifting the baby out of the stroller with the baby carrier ・・・・・・・・・・・・・・・ 8
Placing the carrier loaded with the baby in the stroller ・・・・・・・・・・・・・・・ 10

Vertical carrying (From when baby's neck is stable)
Setup when baby carrier is used for vertical carrying ・・・・・・・・・・・・ 12
Placing the baby in the baby stroller ・・・・ 14
Lifting the baby out of the stroller with the baby carrier ・・・・・・・・・・・・・・・ 15
Placing the carrier loaded with the baby in the stroller ・・・・・・・・・・・・・・・ 18
Removing the newborn head support ・・・ 20

Others
Using the sleeping hood ・・・・・・・・・ 22

Things to note before use

Before use, please read this manual and the user manuals for the baby stroller and baby carrier carefully, and use the products accordingly.

- Please ensure that the baby stroller and baby carrier are of the same brand (Aprica or Graco) when using them in combination.
- Please check that there is a Carry Travel System label (CTS label) on the baby stroller and baby carrier. Products without this label cannot be used for Carry Travel System.
- If the baby stroller and baby carrier are of different brands (Aprica and Graco), please refer to the Carry Travel System manual found in the packaging of the baby carrier product.
- For simplicity and clarity, the illustrations and assemblies used in this manual may not be completely identical with the actual product. The actual product will prevail should there be any difference.

Carry Travel System

CTS label

Baby's usage period

- The range of suitable users under the SG mark refers to the usage period marked in red line. Usage period falling within the black line (for babies of 24 months to 36 months old who are carried using vertical carrying) is not within the range of suitable users.

Reference age	0 month	1 month old	4 months old	7 months old	From 24 months old	From 36 months old	Weight
Baby stroller		From 1 month old (up to approximately 36 months old)					Up to about 15kg

Reference age		0 month	1 month old	4 months old	7 months old	From 24 months old	From 36 months old	Weight
baby carrier	Horizontal carrying	From newborn weighing 2.5kg onwards (until about 4 months old)						Up to about 7kg
	Vertical carrying			From when baby's neck is stable (until 36 months old)				Up to about 15kg
	Front-facing carrying				From when baby's waist is stable (until 24 months old)			Up to about 13kg
	Piggyback			From when baby's neck is stable (until 36 months old)				Up to about 15kg

* The age and weight are for reference only. Please use this baby carrier according to the actual growth of the baby.
* Depending on the thickness of the baby's winter clothings or the baby's physique, usage of the carrier may not be possible.
- You may watch the installation video clip by scanning the QR code on the right. Please watch this video and use it as a supplementary instruction to this manual.

Markings used in this manual

- Symbol such as "Warning", "Caution", and "Prohibited" are used to predict the condition if you do not follow the notice items. These are divided by the damage severity. The indicated contents are very important, so you need to abide by them.

Mark	Indication
⚠Warning	Failure to observe these instructions could lead to death or serious injury.
⚠Caution	Failure to observe these instructions could lead to serious injury or product damage.

Prohibit	Indication
⃠	Please do not perform these prohibited actions.

Tips	Tips and tricks when using the product.

Cautions regarding usage

- In order to prevent the possibility of accidents, please read this user manual thoroughly and use the product accordingly.


⚠Warning Failure to observe these instructions could lead to death or serious injury.

There may be a risk of the baby falling out if it is carried out at an unstable place.

If there is a need to place the baby together with the baby carrier in the baby stroller, please ensure that it is carried out at a safe place.



If there is a need to lift the baby together with the baby carrier out of the baby stroller, please ensure that it is carried out at a safe place.



There may be a risk of the baby stroller toppling over if the straps get stuck in the wheels.

Please ensure that the shoulder and waist straps of the baby carrier are stowed in the CTS storage pouch



There may be a risk of suffocation if the baby gets entangled in the straps.

Please ensure that the shoulder and waist straps of the baby carrier are stowed in the CTS storage pouch.



There may be a risk of injury to the baby.

When unfastening the shoulder buckle, please ensure that the snap buttons on the shoulder strap cover are securely fastened.



There may be a risk of injury to the baby.

Please ensure that the shoulder buckle, adjustable joint buckle, abdomen buckle and waist buckle are securely fastened.



There may be a risk of the baby falling out or other unforeseen accidents.

Please ensure that the newborn head support belt is attached properly in the shoulder strap cover.




Loose shoulder straps may cause the wheels to get jammed up and other accidents.


Please do not place other items in the CTS storage pouch.



Name of parts for baby carrier



< Rear side of baby carrier >



< Accessory >



Sleeping hood
(used only when the newborn head support is removed)
(See page 22)




User Manual




Carry Travel System
User Manual (this book)

Name of parts for baby stroller



< The back of backrest >



< Accessory >



Head mamolu pad



Waist mamolu pad



User Manual



Carry Travel System
User Manual (this book)


Setup when baby carrier is used for horizontal carrying (before baby's neck is stable)

⚠Warning


・When placing the baby in the baby stroller, please ensure that it is carried out at a safe place.
There may be a risk of the baby falling out if it is carried out at an unstable place.

・Please cooperate by reading the user manuals for the baby stroller and baby carrier carefully and use the products accordingly.


< Setting up the baby stroller >




❶Lock the stroller's rear wheel stoppers (left & right).
❷Open the stroller's front guard.



❸Ensure that the Head mamolu pad and waist mamolu pad have been removed from the baby stroller.
❹Ensure that the shoulder belts on the baby stroller are at the lower position.
• Please keep the waist mamolu pad of the baby stroller safely and properly.




❺Lower the backrest fully
(Please refer to the user manual for the baby stroller)




❻Press the crotch buckle to release the shoulder and waist belts. Spread the belts such that they open outward.

< Setting up the baby carrier >




❶Pass the hook-and-loop belt fastener through the Head mamolu pad installation hole on the baby carrier in the direction as shown by the arrow, and fasten it to the hook-and-loop fastener found at the back of the newborn head support.


< Installing the baby carrier on the baby stroller >




❶Place the upper part of the newborn head support along the upper edge of the stroller's inner seat pad.




❷Pass the stroller crotch belt through the crotch belt hole located between the carrier's holding harness and support cover ( ).



❸Unfasten the newborn head support belt snap buttons on the left and right sides of the baby carrier.
❹Lift up the shoulder strap covers and unfasten the left and right shoulder buckles (red).




❺Fasten the newborn head support belt snap buttons on the left and right sides of the baby carrier.
❻Fasten the shoulder strap cover snap buttons on the left and right sides of the baby carrier.




❼Pass the stroller shoulder belts through the shoulder belt holes on the baby carrier (left & right).

⚠Warning

・When unfastening the shoulder buckles, please fasten the shoulder strap cover snap buttons securely.
There may be a risk of injury to the baby if they are not fastened properly.



❽Tidy up the left and right shoulder straps of the baby carrier and stow them in the CTS storage pouch on the baby stroller.




< Configuration when the baby is seated >

❾Unfasten the abdomen buckles on the left and right sides of the baby carrier (yellow).


⚠Warning

・Please ensure that the shoulder straps have been stowed properly.
There may be a risk of the baby stroller toppling over due to the shoulder straps getting stuck in the wheels or other locations.


Placing the baby in the baby stroller (Horizontal carrying/before baby's neck is stable)




・Before seating the baby, please see pages 5-6 “Setup when baby carrier is used for horizontal carrying”




❶Place the baby on the seat of the baby stroller.




❷Fold the carrier's holding harness such that it covers up to the baby's abdomen, then fasten the left and right abdomen buckles (yellow) until a ‘click’ sound is heard.




❸Insert the stroller shoulder belts into the shoulder belt hooks and insert the waist belt into the crotch buckle.



❹Adjust the length of the stroller's shoulder and waist belts to fit the baby's physique. (Please refer to the user manual for the baby stroller)



❺Attach the stroller's front guard.




< Configuration when the baby is seated >


Lifting the baby out of the stroller with the baby carrier

⚠Warning


・If there is a need to lift the baby together with the baby carrier out of the baby stroller, please ensure that it is carried out at a safe place.
There may be a risk of the baby falling out if it is carried out at an unstable place.




・First, please check that the baby carrier for horizontal carrying has been installed in the baby stroller.




❶Check to ensure that the stroller's rear wheel stoppers are locked (left & right).




❷Open the stroller's front guard.




❸Press the crotch buckle to release the shoulder and waist belts. Spread the belts such that they open outward.



❹Pull out the stroller shoulder belts through the shoulder belt holes on the baby carrier (left & right).




❺Unfasten the shoulder strap cover snap buttons of the baby carrier.




❻Unfasten the newborn head support belt snap buttons on the left and right sides of the baby carrier.

< Continued on next page >

Lifting the baby out of the stroller with the baby carrier (Continued from previous page)




❼Take the carrier shoulder straps out of the CTS storage pouch on the baby stroller.



❽Fasten the shoulder buckles (red ⇧) on the left and right sides of the baby carrier until a 'click' sound is heard. Avoid twisting the straps.

⚠Warning

・Please install the shoulder straps correctly. There may be a risk of the baby falling out and other unforeseen accidents if they are not installed properly.




❾Wrap the newborn head support belt snap buttons (⇄2) on the left and right sides of the baby carrier around the shoulder strap covers and fasten them to the shoulder strap covers.

⚠Warning


・Please install the newborn head support belts to the shoulder strap covers correctly.There may be a risk of the baby falling out and other unforeseen accidents if they are not installed properly.



❿Place one of the carrier shoulder straps over the other and hoist the overlapped shoulder straps diagonally across the shoulders through the underarms.



❿Check to ensure that the adjustable joint buckle on the carrier shoulder straps is securely fastened.
⓫Pull out the stroller crotch belt through the crotch belt hole (⇧) on the baby carrier.



< Configuration when the baby is carried in horizontal carrying >


Tips


• The recommended position of the baby carrier should be above the solar plexus (pit of stomach) and below the chest of the wearer.

Placing the carrier loaded with the baby in the stroller


⚠Warning

・If there is a need to place the baby together with the baby carrier in the baby stroller, please ensure that it is carried out at a safe place.
There may be a risk of the baby falling out if it is carried out at an unstable place.







❶Check to ensure that the stroller's rear wheel stoppers are locked (left & right).
❷Open the stroller's front guard.




❸Lower the backrest fully.
❹Press the crotch buckle to release the shoulder and waist belts. Spread the belts such that they open outward.




❺Place the baby on the seat of the baby stroller while holding the baby's head in one hand and supporting the baby's buttock with the other hand.



❻Pass the stroller crotch belt through the crotch belt hole on the baby carrier (⇧).



❼Unfasten the newborn head support belt snap buttons on the baby carrier (left & right).




❽Lift up the shoulder strap covers and unfasten the left and right shoulder buckles (red ⇧).


Horizontal carrying

< Continued on next page >

Placing the carrier loaded with the baby in the stroller (Continued from previous page)



❾Tidy up the left and right shoulder straps of the baby carrier and stow them in the CTS storage pouch.




❿Fasten the newborn head support belt snap buttons on the left and right sides of the baby carrier.
⓫Fasten the shoulder strap cover snap buttons on the left and right sides of the baby carrier.

⚠Warning


- Please ensure that the shoulder straps have been stowed properly.There may be a risk of the baby stroller toppling over due to the shoulder straps getting stuck in the wheels or other locations.

⚠Warning


- When unfastening the shoulder buckles, please fasten the shoulder strap cover snap buttons securely.There may be a risk of injury to the baby if they are not fastened properly.




⓬Pass the stroller shoulder belts through the shoulder belt holes on the baby carrier (left & right).



⓭Insert the stroller shoulder belts into the shoulder belt hooks and insert the waist belt into the crotch buckle.




⓮Adjust the length of the stroller's shoulder and waist belts to fit the baby's physique. (Please refer to the user manual for the baby stroller)



⓯Attach the stroller's front guard.


Setup when baby carrier is used for vertical carrying

< Setting up the baby stroller >




❶Lock the stroller's rear wheel stoppers (left & right).
❷Remove the head mamolu pad and waist mamolu pad from the baby stroller.
• Please keep the head mamolu pad and waist mamolu pad safely and properly.
❸Lower the backrest fully.
❹Open the stroller's front guard.
❺Release the shoulder, waist and crotch belts. Spread the belts such that they open outward.

< Setting up the baby carrier >




❶Fold back the newborn head support guard on the baby carrier and fasten the snap button.
❷Unfasten the adjustable joint buckle on the shoulder straps of the baby carrier.
❸Pull the waist strap out from the mesh pocket of the baby carrier.

< Installing the baby carrier on the baby stroller >




❶Place the upper part of the newborn head support along the upper edge of the stroller's inner seat pad.




❷Pull out the stroller crotch belt through the crotch belt hole ( ).


Setup when baby carrier is used for vertical carrying (Continued from previous page)



❸Attach the elastic loop on the carrier waist strap to the CTS hook on the footrest of the baby stroller. Stow the waist strap in the CTS storage pouch on the baby stroller.




❹Unfasten the newborn head support belt snap buttons on the left and right sides of the baby carrier.
❺Lift up the shoulder strap covers and unfasten the left and right shoulder buckles (red ⇧).




❻Fasten the newborn head support belt snap buttons on the baby carrier.
❼Fasten the shoulder strap cover snap buttons.

⚠Warning

・When unfastening the shoulder buckles, please fasten the shoulder strap cover snap buttons securely.There may be a risk of injury to the baby if they are not fastened properly.




❽Pass the stroller shoulder belts through the shoulder belt holes on the baby carrier (left & right).



❾Tidy up the left and right shoulder straps of the baby carrier and stow them in the CTS storage pouch.

⚠Warning


・Please ensure that the shoulder and waist straps have been stowed properly.There may be a risk of the baby stroller toppling over due to the shoulder or waist straps getting stuck in the wheels or other locations.




< Configuration when the baby is seated >

❿Unfasten the abdomen buckles on the baby carrier (yellow).


Placing the baby in the baby stroller (Vertical carrying/From when baby's neck is stable)




・Before seating the baby, please see pages 12-13 "Setup when baby carrier is used for vertical carrying"




❶Place the baby on the seat of the baby stroller.




❷Fold the carrier's holding harness such that it covers up to the baby's abdomen, then fasten the left and right abdomen buckles (yellow) until a 'click' sound is heard.




❸Insert the stroller shoulder belts into the shoulder belt hooks and insert the waist belt into the crotch buckle.



❹Adjust the length of the stroller's shoulder and waist belts to fit the baby's physique. (Please refer to the user manual for the baby stroller)



❺Attach the stroller's front guard.




< Configuration when the baby is seated >

Lifting the baby out of the stroller with the baby carrier


⚠Warning

・If there is a need to lift the baby together with the baby carrier out of the baby stroller, please ensure that it is carried out at a safe place.


There may be a risk of the baby falling out if it is carried out at an unstable place.




・First, please check that the baby carrier for vertical carrying has been installed in the baby stroller.




❶Check to ensure that the stroller's rear wheel stoppers are locked (left & right).




❷Open the stroller's front guard.




❸Press the crotch buckle to release the shoulder and waist belts. Spread the belts such that they open outward.



❹Pull out the stroller shoulder belts through the shoulder belt holes on the baby carrier.




❺Unfasten the shoulder strap cover snap buttons of the baby carrier.




❻Unfasten the newborn head support belt snap buttons on the left and right sides of the baby carrier

.




❼Take the carrier shoulder straps out of the CTS storage pouch on the baby stroller.



❽Fasten the shoulder buckles (red ⇧2) on the left and right sides of the baby carrier until a 'click' sound is heard. Avoid twisting the straps.

⚠Warning


・Please install the shoulder straps correctly. There may be a risk of the baby falling out and other unforeseen accidents if they are not installed properly.




❾Wrap the newborn head support belt snap buttons (↻2) on the left and right sides of the baby carrier around the shoulder strap covers and fasten them to the shoulder strap covers.

⚠Warning


・Please install the newborn head support belts to the shoulder strap covers correctly. There may be a risk of the baby falling out and other unforeseen accidents if they are not installed properly.



❿Take the waist strap out of the CTS storage pouch on the baby stroller, and remove the elastic loop on the waist strap from the CTS hook on the baby stroller.



⓫Pull out the stroller crotch belt through the crotch belt hole (⇧) on the baby carrier.



⓬Put on the left and right shoulder straps and lift the baby up.

Vertical carrying


< Continued on next page >

Vertical carrying


Lifting the baby out of the stroller with the baby carrier (Continued from previous page)

⚠Warning


・Please ensure that the shoulder buckle, adjustable joint buckle, abdomen buckle and waist buckle are securely fastened. There may be a risk of the baby falling out.




⓭Fasten the carrier's adjustable joint buckle behind the neck of the wearer, and adjust the adjustable joint belt.




⓮Check to ensure that the baby's legs extend out of the baby carrier. Pass the carrier waist buckle through the elastic loop and fasten it until a 'click' sound is heard.



⓯Adjust the carrier waist strap and use the rubber band to tidy up the excess waist strap.



⓰Adjust the left and right shoulder straps of the baby carrier.



⓱Use the rubber band to tidy up the excess shoulder straps.




< Configuration when the baby is carried in vertical carrying >


Vertical carrying

Placing the carrier loaded with the baby in the stroller


⚠Warning

・If there is a need to place the baby together with the baby carrier in the baby stroller, please ensure that it is carried out at a safe place. There may be a risk of the baby falling out if it is carried out at an unstable place.







❶Check to ensure that the stroller's rear wheel stoppers are locked (left & right).
❷Open the stroller's front guard.
❸Lower the backrest fully.
❹Press the crotch buckle to release the shoulder and waist belts. Spread the belts such that they open outward.




❺Unfasten the carrier waist buckle while supporting the baby with one hand.
❻Move the hands to the back to unfasten the adjustable joint buckle on the shoulder straps of the baby carrier.



❼Place the baby on the seat of the baby stroller by aligning the upper part of the newborn head support with the upper edge of the stroller's inner seat pad.



❽Pass the stroller crotch belt through the crotch belt hole on the baby carrier (⇧).




❾Attach the elastic loop on the carrier waist strap to the CTS hook. Stow the waist strap in the CTS storage pouch.


Vertical carrying

< Continued on next page >

Placing the carrier loaded with the baby in the stroller (Continued from previous page)




⑩Unfasten the newborn head support belt snap buttons on the left and right sides of the baby carrier.
⑪Lift up the shoulder strap covers and unfasten the left and right shoulder buckles (red ⇧).




⑫Tidy up the left and right shoulder straps of the baby carrier and stow them in the CTS storage pouch.

⚠Warning

・Please ensure that the shoulder straps have been stowed properly.There may be a risk of the baby stroller toppling over due to the shoulder straps getting stuck in the wheels or other locations.




⑬Fasten the newborn head support belt snap buttons on the left and right sides of the baby carrier.
⑭Fasten the shoulder strap cover snap buttons on the left and right sides of the baby carrier.




⑮Pass the stroller shoulder belts through the shoulder belt holes on the baby carrier (left & right).

⚠Warning

・When unfastening the shoulder buckles, please fasten the shoulder strap cover snap buttons securely. There may be a risk of injury to the baby if they are not fastened properly.




⑯Insert the stroller shoulder belts into the shoulder belt hooks and insert the waist belt into the crotch buckle.




⑰Adjust the length of the stroller's shoulder and waist belts to fit the baby's physique. (Please refer to the user manual for the baby stroller)
⑱Attach the stroller's front guard.

Removing the newborn head support


< Setting up the baby carrier >




❶Unfasten the adjustable joint buckle on the baby carrier.
❷Unfasten the newborn head support belt snap buttons on the left and right sides of the baby carrier.
❸Lift up the shoulder strap covers and unfasten the left and right shoulder buckles (red ⇧).



❹Fasten the shoulder strap cover snap buttons on the left and right sides of the baby carrier.




❺Unfasten the left and right abdomen buckles (yellow).



❻Unfasten the abdomen buckle cover snap buttons on the baby carrier, and pull out the abdomen buckle covers through the abdomen buckle cover loops (left & right).

< Setting up the baby stroller >



❶Raise the backrest of the baby stroller.
❷Ensure that the stroller shoulder belts are at the upper or middle position.


• Please refer to the baby stroller user manual for information on adjusting the height of stroller shoulder belts.

< Continued on next page >


Vertical carrying

Removing the newborn head support (Continued from previous page)


< Installing the baby carrier on the baby stroller >




❶Align the crotch belt hole on the baby carrier (⇧) with the stroller crotch belt.




❷Pass the stroller crotch belt through the crotch belt hole (⇧).




❸Attach the elastic loop on the carrier waist strap to the CTS hook on the footrest of the baby stroller. Stow the waist strap in the CTS storage pouch on the baby stroller.



❹Lift up the shoulder strap covers and unfasten the left and right shoulder buckles (red ⇧).



❺Fasten the shoulder strap cover snap buttons.




❻Tidy up the left and right shoulder straps of the baby carrier and stow them in the CTS storage pouch on the baby stroller.

⚠Warning

・When unfastening the shoulder buckles, please fasten the shoulder strap cover snap buttons securely. There may be a risk of injury to the baby if they are not fastened properly.


⚠Warning

・Please ensure that the shoulder and waist straps have been stowed properly. There may be a risk of the baby stroller toppling over due to the shoulder or waist straps getting stuck in the wheels or other locations.



< Configuration when the baby is seated >

❼Unfasten the abdomen buckles on the baby carrier (yellow).




Tips

• Please check whether the baby carrier is already open before putting the baby down or lifting the baby up.

Using the sleeping hood


• Please install the sleeping hood on the baby carrier if the newborn head support has been removed.

< How to install >




❶Position the sleeping hood such that the quality label faces the main body of the baby carrier.
❷Pass the snap buttons through the loops (left & right).
❸Fasten the snap buttons after passing them through the loops.
❹Fasten the snap buttons to the shoulder straps (left & right).

< Short hood cover >



< Long hood cover >



• The sleeping hood has a 2-stage adjustment to accommodate the growth of the baby.

• To remove the sleeping hood, please follow the steps in reverse order.
• Please remove the sleeping hood when placing the baby in the baby stroller, see page 18.