Japan
アップリカ·チルドレンズプロダクツ合同会社
本社/大阪店 — 〒542-0082 大阪市中央区島之内1-13-13 **TEL0120-415-814**
Aprica Children's Products G.K.
1-13-13, Shimanouchi, Chuo-Ku, Osaka, Japan

Taiwan
台灣愛普力卡股份有限公司
總公司地址：新竹縣竹北市台元街28號5樓之3　電話:(03)5525688
維修服務中心地址：新竹縣竹北市福興路885號　電話:(03)6561261
公司網址：http://www.aprica.com.tw
E-mail：0800@aprica.com.tw　統一編號：22662003

Hong Kong
Newell Rubbermaid Asia Pacific Limited
九龍尖沙咀麼地道63號好時中心8樓806室
Unit 806, 8/F, Houston Centre, 63 Mody Road, Tsimshatsui, Kowloon, HK
電話: 852- 2665 9175
E-mail：HKGCS.Aprica@Newellco.com

2019-07 CCTS-03-TWHK

嬰幼兒腰帶型四方向揹巾


COLAN CTS

Aprica

・本產品是一個可以結合嬰幼兒揹巾和專屬嬰幼兒手推車的多用途攜帶旅行組　(Carry Travel System)。
・嬰幼兒手推車需另外購買。
・有關多用途攜帶旅行組(CTS)的更多資訊，請參閱多用途攜帶旅行組(CTS)的使用說明書。


使用說明書

感謝您選購Aprica產品。
本產品為新生兒～體重15kg以內之嬰幼兒設計的單人用揹巾。


橫向式懷抱


直立式懷抱


後揹式


前向式懷抱

※使用者適用腰圍為74cm~118cm範圍內。
※因使用者體型差異或冬天穿著厚重衣物等因素， 有時可能造成無法使用本產品。

使用前請詳細閱讀本說明書並正確地使用。
請勿使用本說明書內容以外的方法操作本產品。不僅無法充分發揮本產品的功能也十分的危險。使用後請妥善保存此書。

目錄

使用之前
關於本揹巾／關於本書的標示 ・・・・・・・・・・ 1
嬰幼兒的使用期間 ・・・・・・・・・・・・・・・ 1
安全使用的注意事項 ・・・・・・・・・・・・・・ 2
使用上的注意事項 ・・・・・・・・・・・・・・ 3～4
取出製品時 ・・・・・・・・・・・・・・・・・・ 5
腰部安全帶的準備 ・・・・・・・・・・・・・・・ 6
新生兒保護墊、安眠型遮頭護罩 ・・・・・・・・・ 6
固定扣的使用方法 ・・・・・・・・・・・・・・・ 7
安全帶的調整方法 ・・・・・・・・・・・・・・・ 7

橫向式懷抱〈新生兒起至體重7kg以內〉
橫向式懷抱的準備 ・・・・・・・・・・・・・・・ 8
橫向式懷抱的使用方法 ・・・・・・・・・・ 9～10
如何從橫向式懷抱放下 ・・・・・・・・・・・・ 10
新生兒保護墊的拆卸方法 ・・・・・・・・・・・ 11
揹巾的收納方法 ・・・・・・・・・・・・・・・ 12
新生兒保護墊的安裝方法 ・・・・・・・・・・・ 13

直立式懷抱〈頸部安定後至體重15kg以內〉
直立式懷抱的準備 ・・・・・・・・・・・・・・ 14
直立式懷抱的使用方法 ・・・・・・・・・・ 14～16
如何從直立式懷抱放下 ・・・・・・・・・・・・ 16
月齡較小時 ・・・・・・・・・・・・・・・・・・ 17
安眠型遮頭護罩 ・・・・・・・・・・・・・・ 17～18

後揹式〈頸部安定後至體重15kg以內〉
後揹式的準備 ・・・・・・・・・・・・・・・・・ 19
後揹式的使用方法 ・・・・・・・・・・・・ 19～21
從直立式懷抱切換後揹式 ・・・・・・・・・ 22～23
安眠型遮頭護罩 ・・・・・・・・・・・・・・・・ 24
月齡較小時 ・・・・・・・・・・・・・・・・・・ 25
如何從後揹式放下 ・・・・・・・・・・・・・・・ 25

前向式懷抱〈可獨自坐起至體重13kg以內〉
前向式懷抱的準備 ・・・・・・・・・・・・・・・ 26
前向式懷抱的使用方法 ・・・・・・・・・・ 26～28
如何從前向式懷抱放下 ・・・・・・・・・・・・ 28

其他
Q&A ・・・・・・・・・・・・・・・・・・・・ 29～30
檢查與保養 ・・・・・・・・・・・・・・・・・・ 31

關於本揹巾

- 本產品是用來抱嬰幼兒或揹嬰幼兒，於外出及購物時所使用的單人用揹巾。使用前，請先確認P5的「各部位名稱」。
- 本說明書所使用的插圖、組裝等，為求簡單明瞭，並非與實品完全相同。請以實際物品為主。

關於本書的標示

- 「警告」、「注意」、「禁止」等符號是預測您未遵守注意事項的情況下，依據危害、損害的嚴重性來作區分。標示所表示的內容十分重要，請您務必遵守。

標示	標示的內容
⚠ 警告	使用方法錯誤時，可能會造成人員死亡或重傷等情形。
⚠ 注意	使用方法錯誤時，可能會造成人員受傷、使物品損壞等情形。

標示	標示的內容
⃠	請勿操作本說明書所禁止的行為。

嬰幼兒的使用期間


- SG標章的適用對象為使用時期在紅線範圍內者。使用時期在黑線範圍內者（24個月到36月個大使用直立式懷抱狀態下的嬰幼兒）則不在適用對象內。



※年齡及體重為參考數字，請依嬰幼兒實際成長狀態使用本揹巾。
※因使用者體型差異或冬天穿著厚重衣物等因素， 有時可能造成無法使用本產品。

安全使用的注意事項

- 在使用橫向式懷抱、直立式懷抱、後揹式、前向式懷抱之際，請務必扣上安全扣。
- 安全帶的長度調節配合使用者之身體調整，並且調緊。
- 腳部露出的嬰幼兒使用時，可能會在肌膚上留下揹帶的痕跡，或是極少出現的皮膚摩擦發紅。此種情況下，請穿上覆蓋住肌膚露出部位的衣物，或者是在露出部位放上毛巾等，避免與揹巾直接接觸。



⚠ 警告

- 使用時，請務必於靜止的狀態下扣上固定扣。
  因恐導致嬰幼兒摔落、受傷之虞。
- 請依據使用者體型不同，將安全帶長度調整至略緊的程度。
  嬰幼兒與使用者之間的空隙如果過大，將可能無法應對嬰幼兒預期外的動作，而有墜落、意外事故或受傷之虞。

使用上的注意事項

○此處所記載的內容非常重要。請務必詳讀並且遵守。

⚠警告 使用方法錯誤時，可能會造成人員死亡或重傷等情形。

請勿在肩部調節安全扣、腰部安全扣、調整式安全固定扣解開之狀態下使用。
恐有導致嬰幼兒摔落、受傷之虞。



請務必調整肩部安全揹帶、腰部安全帶、調整式安全帶，不可在鬆鬆的狀態下使用。
恐有導致嬰幼兒摔落、受傷之虞。



請勿採取跑、跳、前彎等不適當的姿勢。
恐有導致嬰幼兒摔落、受傷之虞。



頸椎尚未成熟的嬰幼兒不可使用。
恐有損害嬰幼兒身體健康之虞。



直立式懷抱、後揹式不可使用於體重超過15kg的嬰幼兒。
恐有導致嬰幼兒摔落、受傷之虞。




前向式懷抱不可使用於體重超過13kg的嬰幼兒。
恐有導致嬰幼兒摔落、受傷之虞。



橫向式懷抱不可使用於體重超過7kg或已會翻身的嬰幼兒。
恐有導致嬰幼兒受傷之虞。



哺乳後30分鐘以內請勿使用。因恐使用時壓迫嬰幼兒的腹部，影響消化吸收。務必確認產品已安裝正確，請勿連續使用2小時以上。恐有損傷嬰幼兒和使用者身體健康之虞。



⚠警告 使用方法錯誤時，可能會造成人員死亡或重傷等情形。

- 未滿4個月的嬰幼兒使用本產品時，請注意嬰幼兒的臉部與使用者的身體過於緊靠恐有窒息之虞。
- 請避免嬰幼兒與使用者間的空間過緊，安裝時請保有讓嬰幼兒頭部足夠的活動空間，因恐有窒息之虞。
- 安裝及拆卸本產品時，請注意嬰幼兒可能由開口處跌落的危險。
- 切換為後揹式或使用其他模式放下嬰幼兒時，請保持低姿勢進行，若嬰幼兒的身體傾斜時請以手扶住嬰幼兒，避免嬰幼兒跌落的危險。請注意當使用者彎腰或屈膝的姿勢時，因恐嬰幼兒的頭部朝下，將有跌落的危險。
- 使用本產品時請注意嬰幼兒的狀態。確保嬰幼兒的呼吸道順暢。因恐有窒息或其他意外事故發生之虞。
- 請注意避免嬰幼兒的臉部緊貼使用者的胸部，若嬰幼兒的呼吸道阻塞，恐有窒息之虞。
- 當您在做家務或烹飪時，請務必隨時注意嬰幼兒的狀態，避免因家務而分散注意力，導致嬰幼兒燙傷或其他意外事故發生之危險。
- 使用橫向式懷抱時，請務必使用新生兒保護墊。

⚠警告 使用方法錯誤時，可能會造成人員死亡或重傷等情形。

使用橫向式懷抱時，請務必安裝懷抱型雙重束護帶。
恐有導致嬰幼兒摔落、受傷之虞。




安全帶前端回針縫部位綻開、剪斷後，不可使用。
恐有導致嬰幼兒摔落、受傷之虞。



固定扣部有破損、安全帶或布料等破損、綻開、受損狀態下，不可使用。
恐有導致嬰幼兒摔落、受傷之虞。



不可於飛機、汽車、自行車、機車上使用。



使用橫向式懷抱時，請以雙手托住嬰幼兒，切勿讓嬰幼兒頭部朝下。恐有導致嬰幼兒跌落或其他意外事故發生之虞。



⚠警告 使用方法錯誤時，可能會造成人員受傷、使物品損壞等情形。

如使用者在使用途中有任何疼痛或不舒服時，請勿繼續先用本產品。

不使用安全扣時，亦請保持扣合的狀態。



直立式懷抱有時候難以看到腳下，所以走路時請小心注意。



請勿放置於暖氣設備附近等高溫地點。



保管時請勿置於日光直射的場所，將加速褪色及劣化。




請勿於抱、揹嬰幼兒以外之其他目的下使用，例如搬運物品等。





取出製品時

・製品取出時，請務必進行各部位檢查工作。
・部品有缺少、弄錯或者破損時，請與經銷商或者總公司連絡。
・腰部安全帶收在腰部安全帶收納網袋內。

〈各部位名稱〉







※品番、批號記載於品質標示標籤。

〈附屬品〉 揹巾自包裝盒取出時，新生兒保護墊已安裝於揹巾本體上。



安眠型遮頭護罩
（僅在取下新生兒保護墊時使用）
（請參閱P１７）




使用說明書
（本書）



多用途攜帶旅行組
使用說明書


腰部安全帶的準備

〈腰部安全帶的取出方式〉



・將腰部安全帶由腰部安全帶收納網袋中取出。

〈腰部安全帶的收納方式〉



・將腰部安全帶折疊後，放入腰部安全帶收納網袋中。

小建議

・請將較長的腰部安全帶摺疊3次後，再行收納。

新生兒保護墊、安眠型遮頭護罩

〈新生兒保護墊、安眠型遮頭護罩的適用時期〉



新生兒保護墊




安眠型遮頭護罩

橫向式懷抱	・請務必使用新生兒保護墊。 ・無法使用安眠型遮頭護罩。
直立式懷抱	・自嬰幼兒頸部安定起到能獨立坐起7個月左右為止，可使用新生兒保護墊。 ・隨著嬰幼兒成長或感覺過緊時，亦可拆下新生兒保護墊使用。 ・使用安眠型遮頭護罩時，請拆下新生兒保護墊。
前向式懷抱	・請拆下新生兒保護墊。 ・無法使用安眠型遮頭護罩。
後揹式	・自嬰幼兒頸部安定起到能獨立坐起7個月左右為止，可使用新生兒保護墊。 ・隨著嬰幼兒成長或感覺過緊時，亦可拆下新生兒保護墊使用。 ・使用安眠型遮頭護罩時，請拆下新生兒保護墊。


固定扣的使用方法

〈肩部安全揹帶固定扣〉

安裝方法




卸除方法



〈腰部安全帶固定扣〉


安裝方法

❶將腰部安全帶固定扣穿過鬆緊帶後，將其扣上。
❷將腰部安全帶的前端拉出至鬆緊帶的上側。




卸除方法

❶將腰部安全帶的前端穿過鬆緊帶。
❷解開腰部安全帶固定扣，並將其由鬆緊帶中拉出。




〈調整式安全固定扣・腹部固定扣〉

安裝方法



卸除方法




安全帶的調整方法


⚠警告
○安全帶的長度請配合使用者之體型調整，並且調緊。
嬰幼兒與使用者之間空隙過大，左右安全帶的長度不同，將可能無法應對嬰幼兒預期外的動作，恐有墜落、意外事故或受傷之虞。

〈肩部安全揹帶〉

縮短時



拉長時




〈腰部安全帶〉

縮短時




拉長時




〈調整式安全帶・腹部安全帶〉

縮短時




拉長時



橫向式懷抱的準備 ※嬰幼兒乘坐前，請先依使用者的體型來調節肩部安全帶的長度。

❶確認腰部安全帶是否已確實收納。（請參閱P6）
❷將左右肩部安全帶重疊，斜揹本產品。（穿過頭部及單手內側）
❸調整肩部安全帶的長度，並且確認高度以及角度。（請參閱P7）






小建議


・揹巾的位置，建議在使用者的橫隔膜上方、胸部下方為宜

〈高度的調整〉

❶當揹巾的位置過低時，請縮短肩部安全揹帶。（請參閱P7）
❷用鬆緊帶將多餘安全帶收整捆綁。




・當揹巾的位置過高時，請拉長肩部安全揹帶。




〈角度的調整〉

・將靠近使用者肩部的肩部安全揹帶調整較短（約１０公分），讓使用者與嬰幼兒有著緊密貼合且更為安定的感覺。




〈揹巾的準備〉

❶解開調整式安全固定扣。
❷解開左右兩側的腹部固定扣（黃色）。
❸將懷抱型雙重束護帶攤開。




橫向式懷抱的使用方法


❶將嬰幼兒放在揹巾本體上，再插入左右兩側的腹部固定釦（黃色）直至聽見「喀嚓」聲為止。
❷調整左右兩側的腹部安全帶長度。（請參閱P7）



❸插入調整式安全固定扣直至聽見「喀嚓」聲為止。
❹將左右兩側的肩部安全揹帶重疊，調整調整式安全帶的長度。（請參閱P7）



❺將左右的肩部安全帶重疊，斜揹本產品。



小建議

- 請務必使用雙手操作本產品。
- 肩膀和腰感覺有負擔加重的情況下，請重新調節肩部安全帶、腰部安全帶。

⚠警告

- 可獨自翻身或體重超過7kg以上的嬰幼兒，請勿使用橫向式懷抱。
- 讓嬰幼兒使用本產品時請務必於安全的場所進行。於不穩定的場所進行，嬰幼兒恐有跌落的危險。
- 切換為後揹式或使用其他模式放下嬰幼兒時，請保持低姿勢進行，若嬰幼兒的身體傾斜時請以手扶住嬰幼兒，避免嬰幼兒跌落的危險。請注意當使用者彎腰或屈膝的姿勢時，因恐嬰幼兒的頭部朝下，將有跌落的危險。
- 安裝及拆卸本產品時，請注意嬰幼兒由開口處跌落的危險。

⚠警告

- 請避免嬰幼兒的臉部與使用者的身體過於緊靠，恐有窒息之虞。
- 請避免嬰幼兒與使用者間的空間過緊，安裝時請保有讓嬰幼兒頭部足夠的活動空間，因恐有窒息之虞。
- 請注意避免嬰幼兒的臉部緊貼使用者的胸部。若嬰幼兒的呼吸道阻塞，恐有窒息之虞。
- 使用本產品時請注意嬰幼兒的狀態。確保嬰幼兒的呼吸道順暢。因恐有窒息或其他意外事故發生之虞。


❻請面對鏡子確認懷抱姿勢。若使用姿勢不對，請重新安裝、調整。

⚠警告

- 務必遵守使用方法，因恐使用不當而造成嬰幼兒不慎摔落等危險。

橫向式懷抱的確認


①**請確認嬰幼兒的頭部較臀部高。**
②**請確認調整式安全帶固定扣是否緊扣。**
③**請調整調整式安全帶。**
④**請確認腹部固定扣是否緊扣。**
⑤**請調整腹部安全帶。**
⑥**請調整肩部安全揹帶。**
⑦**用鬆緊帶將多餘安全帶收整捆綁。**



如何從橫向式懷抱放下

❶將肩部安全帶取下。
❷解開調整式安全固定扣。
❸解開左右側的腹部固定扣，將嬰幼兒抱出。






⚠警告


- 將嬰幼兒放下時，請注意週遭環境是否安全。若環境不安全因恐造成嬰幼兒不慎摔落等危險發生。

新生兒保護墊的拆卸方法 ※揹巾自包裝盒取出時，新生兒保護墊已安裝於揹巾本體上。


❶解開調整式安全固定扣。
❷解開左右兩側的新生兒保護墊安全帶固定扣。



❸解開左右兩側的腹部固定扣（黃色）。
❹將懷抱型雙重束護帶攤開。




❺解開左右兩側的腹部固定扣套固定扣。
❻將左右兩側的腹部固定扣套，自新生兒保護墊的腹部固定扣套穿過安全帶中抽出。
❼拆下新生兒保護墊。




揹巾的收納方法


❶將腰部安全帶自腰部安全帶收納網袋中取出。
❷拆下新生兒保護墊。
❸扣上調整式安全固定扣。



❹將左右側的肩部安全揹帶整理好後，加以摺疊。





❺扣上腰部安全帶固定扣，調整腰部安全帶。




新生兒保護墊的安裝方法 ※揹巾自包裝盒取出時，新生兒保護墊已安裝於揹巾本體上。

❶將新生兒保護墊放到揹巾上。
❷將左右兩側的腹部固定扣套，穿過新生兒保護墊的腹部固定扣套穿過安全帶。
❸扣上左右兩側的腹部固定扣套固定扣。
❹扣上左右兩側的腹部固定扣（黃色）。
❺將左右兩側的新生兒保護墊安全帶（↻2）纏繞到肩部安全揹帶套上，再扣上新生兒保護墊安全帶固定扣。
❻扣上調整式安全固定扣。








⚠警告
- 請正確安裝新生兒保護墊。
務必遵守使用方法，因恐使用不當而造成嬰幼兒不慎摔落等危險。

直立式懷抱的準備

❶將新生兒保護墊護頭枕反折後，扣上固定扣。
❷解開肩部安全揹帶上的調整式安全固定扣，將調整式安全帶向上移動。
❸自腰部安全帶收納網帶中，拉出腰部安全帶。
❹解開左右兩側的腹部固定扣（黃色）。




小建議

・裝上新生兒保護墊時，請勿使用安眠型遮頭罩。
・使用時，亦可拆下新生兒保護墊。
・將調整式安全帶向上移動後（P15❺）頸部後方的調整式安全固定扣將更容易扣上。



直立式懷抱的使用方法 （接下頁）

❶在安全的場所攤開揹巾，將嬰幼兒放到揹巾上。
❷插入左右兩側的腹部固定扣（黃色）直至聽見「喀嚓」聲為止。
❸調整左右兩側腹部安全帶的長度。
❹將嬰幼兒與揹巾同時抱起，並套上左右兩側的肩部安全揹帶。



小建議

・以嬰幼兒的腹部周圍能伸入成人的2~3根手指左右為基準，調整腹部安全帶。

⚠警告
・請務必裝上懷抱型雙重束護帶。
因恐導致嬰幼兒摔落。




小建議

・穿戴步驟亦可先扣上腰部安全帶固定扣，再將肩部安全揹帶套到左右肩膀上。


直立式懷抱的使用方法 （接續）


❺扣上背後的調整式安全固定扣，調節調整式安全帶。
❻確認嬰幼兒的雙腿是否伸出揹巾。






❼將腰部安全帶固定扣穿過鬆緊帶，插入直至聽見「喀嚓」聲為止。
❽調整腰部安全帶的長度（請參閱P7），以鬆緊帶固定過長的安全帶。






將腰部安全帶的前端調整到鬆緊帶的上方。

❾調整左右兩側的肩部安全揹帶（請參閱P7），藉此調整嬰幼兒的位置。
❿將尾端剩餘的肩部安全揹帶對折後塞入鬆緊帶內固定。





小建議

- 若肩部或腰部感覺到負擔的話，請重新調節肩部安全揹帶以及腰部安全帶。
- 一般穿戴於略低於腰部的腰骨高度，可進一步減少負擔。請依據嬰幼兒的身高調整至適當位置。


⚠警告
- 切換為後揹式或使用其他模式放下嬰幼兒時，請保持低姿勢進行，若嬰幼兒的身體傾斜時請以手扶住嬰幼兒，避免嬰幼兒跌落的危險。請注意當使用者彎腰或屈膝的姿勢時，因恐嬰幼兒的頭部朝下，將有跌落的危險。
- 安裝及拆卸本產品時，請注意嬰幼兒可能由開口處跌落的危險。

⓫請面對鏡子確認懷抱姿勢。若使用姿勢不對，請重新安裝、調節。

直立式懷抱的確認

①**嬰幼兒的頭部不可以擋住使用者的視線。**
②**嬰幼兒的左右手臂請伸出外側。**
③**嬰幼兒的雙腿請伸出外側。**
④**請確認調整式安全固定扣是否緊扣。**
⑤**請調節調整式安全帶。**
⑥**請確認腹部固定扣是否緊扣。**
⑦**請調整腹部安全帶。**
⑧**請確認肩部安全揹帶固定扣是否緊扣。**
⑨**請調整肩部安全揹帶。**
⑩**請確認腰部安全帶固定扣是否緊扣。**
⑪**請調整腰部安全帶。**







⚠警告
- 請面對鏡子確認懷抱姿勢。
務必遵守使用方法，因恐使用不當而造成嬰幼兒不慎摔落等危險。

如何從直立式懷抱放下

❶解開腰部安全帶固定扣。
❷讓嬰幼兒躺到安全地點後，拆下調整式安全固定扣。
❸將左右兩側的肩部安全揹帶自肩膀上卸下。
❹解開左右兩側的腹部固定扣（黃色），將嬰幼兒抱出。






⚠警告
- 將嬰幼兒放下時，請注意週遭環境是否安全。
若環境不安全因恐造成嬰幼兒不慎摔落等危險發生

月齡較小時

• 嬰幼兒在月齡還小時，將腰部安全帶固定於較高位置，將可更加穩定。



• 在嬰幼兒的屁股下墊毛巾，調整高度。



安眠型遮頭護罩

• 當嬰幼兒睡覺時使用，可讓嬰幼兒感覺安定。
• 兼具有防風及遮陽功能。


〈調節方法〉

●請配合嬰幼兒的成長，調整為〈遮罩較淺時〉、〈遮罩較深時〉其中一種。


〈不使用時〉


●將固定扣位置往下，將安眠型遮頭護罩對折。

〈遮罩較淺時〉



〈遮罩較深時〉






⚠警告
• 使用安眠型遮頭護罩之際，請特別注意嬰幼兒的狀態。
因恐不慎掩住口鼻而導致嬰幼兒窒息等危險。

⚠注意
• 若嬰幼兒睡覺時身體會往後傾倒的情況，請停止使用。

〈安裝方法〉


❶讓安眠型遮頭護罩的品質標示標籤位朝向揹巾內側。
❷將固定扣穿過固定環。（左右）
❸將穿過固定環的固定扣扣上。
❹將固定扣扣到肩部安全揹帶上。（左右）



小建議
• 調節方法及不使用時，請參閱P17。

〈拆卸方法〉


❶將安眠型遮頭護罩的固定扣解開。（3處）
❷將固定扣從固定環抽出，取下安眠型遮頭護罩。




小建議
• 若要收納取下的安眠型遮頭護罩時，請收納至口袋裡。

後揹式的準備

❶將新生兒保護墊護頭枕反折後，扣上固定扣。
❷解開肩部安全揹帶上的調整式安全固定扣，將調整式安全帶向上移動。
❸自腰部安全帶收納網帶中，拉出腰部安全帶。
❹解開左右兩側的腹部固定扣（黃色）。






後揹式的使用方法

（接下頁）

❶在安全的場所攤開揹巾，並將嬰幼兒放到揹巾上。
❷插入左右兩側的腹部固定扣（黃色）直至聽見「喀嚓」聲為止。
❸調整左右兩側腹部安全帶的長度。





小建議

・以嬰幼兒的腹部周圍能伸入成人的2~3根手指左右為基準，調整腹部安全帶。

⚠警告

・請務必裝上懷抱型雙重束護帶。
因恐導致嬰幼兒摔落。

❹將嬰幼兒與揹巾同時抱起，並套上左右兩側的肩部安全揹帶。




⚠警告

・揹起嬰幼兒時，請注意嬰幼兒的動作，務必於安全的場所進行操作。如果有旁人的協助將更加安全。
於不安全的地方使用時，嬰幼兒恐有跌落的危險。
・使用本產品時請注意嬰幼兒的狀態，若嬰幼兒的呼吸道阻塞，恐有窒息之虞。

❺以前傾的姿勢揹起嬰幼兒，並將腰部安全帶固定扣穿過鬆緊帶後扣上。





將腰部安全帶的前端調整到鬆緊帶的上方。

⚠注意

・請注意嬰幼兒的足部沒有被擠壓於腰帶及使用者之間，因恐造成嬰幼兒的腳部淤青或摔落的危險。


❻調整嬰幼兒臀部的位置比腰部安全帶高。
（調整左右側的肩部安全揹帶，使得腰部安全帶的位置下降。）




小建議

・若嬰幼兒臀部剛好在使用者的腰部位置，嬰幼兒能有更平穩、舒適的感受。

❼調節腰部安全帶的長度。用鬆緊帶將多餘安全帶綑住。
❽扣上調整式安全固定扣，並且調節調整式安全揹帶。






頸部安定～體重15kg以內
後揹式

後揹式的使用方法 （接續）

❾調節左右兩側肩部安全揹帶。
❿將尾端剩餘的肩部安全揹帶對折後塞入鬆緊帶內固定。






小建議


・若肩部或腰部感覺到負擔的話，請重新調節肩部安全揹帶以及腰部安全帶。
・一般穿戴於略低於腰部的腰骨高度，可進一步減少負擔。請依據嬰幼兒的身高調整至適當位置。

⓫請面對鏡子確認懷抱姿勢。若使用姿勢不對，請重新安裝、調節。

後揹式的確認

①嬰幼兒的左右手臂請伸出外側。
②嬰幼兒的雙腿請伸出外側。
③請確認調整式安全固定扣是否緊扣。
④請調節調整式安全帶。
⑤請確認腹部固定扣是否緊扣。
⑥請調整腹部安全帶。
⑦請確認肩部安全揹帶固定扣是否緊扣。
⑧請調整肩部安全揹帶。
⑨請確認腰部安全帶固定扣是否緊扣。
⑩請調整腰部安全帶。





⚠警告
• 請面對鏡子確認懷抱姿勢。
務必遵守使用方法，因恐使用不當而造成嬰幼兒不慎摔落等危險。


⚠注意
• 使用者若感覺疼痛或不適時，請停止使用。尤其是哺乳期的母親，恐有壓迫乳房之虞。


從直立式懷抱切換後揹式


（接下頁）

❶在直立式懷抱狀態下，解開調整式安全固定扣。
❷將左右肩部安全揹帶取下。
❸牢牢握住肩部安全揹帶，再以前傾的姿勢，扶著嬰幼兒將其轉動至背後。
❹使用者揹上肩部安全揹帶。










調整式安全固定扣





⚠注意
• 直立式懷抱切換後揹式時，請注意週遭環境是否安全。若環境不安全因恐造成嬰幼兒不慎摔落等危險發生。

⚠警告
• 使用時，請注意嬰幼兒的狀況。
因恐不慎掩住口鼻而導致嬰幼兒窒息等危險。

從直立式懷抱切換後揹式（接續）


❺扣上調整式安全固定扣。調節調整式安全帶。（請參閱Ｐ７）






❻調整左右兩側的肩部安全揹帶（請參閱P７），藉此調整嬰幼兒的位置。

❼將尾端剩餘的肩部安全揹帶對折後塞入鬆緊帶內固定。





小建議

・若肩部或腰部感覺到負擔的話，請重新調節肩部安全揹帶以及腰部安全帶。
・一般穿戴於略低於腰部的腰骨高度，可進一步減少負擔。請依據嬰幼兒的身高調整至適當位置。

❽請面對鏡子確認懷抱姿勢。若完成的狀態不正確時，請重新安裝並且重新調整。



⚠警告

• 請面對鏡子確認懷抱姿勢。
務必遵守使用方法，因恐使用不當而造成嬰幼兒不慎摔落等危險。


安眠型遮頭護罩

• 當嬰幼兒睡覺時使用，可讓嬰幼兒感覺安定。
• 兼具有防風及遮陽功能。
• 有關安眠型遮頭護罩的安裝方式、拆卸方式請參閱Ｐ１８。


〈調節方法〉

●請配合嬰幼兒的成長，調整為〈遮罩較淺時〉、〈遮罩較深時〉其中一種。

〈遮罩較淺時〉



〈遮罩較深時〉



⚠警告

• 使用安眠型遮頭護罩之際，請特別注意嬰幼兒的狀態。
因恐不慎掩住口鼻而導致嬰幼兒窒息等危險。

〈不使用時〉

●將固定扣位置往下，將安眠型遮頭護罩對折。



小建議

・請面對鏡子確認使用安眠型遮頭護罩時覆蓋的姿勢。務必遵守使用方法，如果位置不正確，請重新調整。



⚠注意


• 若嬰幼兒睡覺時身體會往後傾倒的情況，請停止使用。

月齡較小時

• 嬰幼兒在月齡還小時，將腰部安全帶固定於較高位置，將可更加穩定。



• 在嬰幼兒的屁股下墊毛巾，調整高度。




如何從後揹式放下

❶解開調整式安全固定扣。
❷緩慢地將嬰幼兒放下。
❸取下左右肩部安全揹帶。
❹解開腰部安全帶固定扣。
❺解開左右兩側的腹部固定扣（黃色）。







小建議


・沒有椅子時，請先由後揹姿勢恢復成直立式懷抱姿勢（請參閱P22❹→❸→❷），再於安全地點放下嬰幼兒。

⚠警告

• 將嬰幼兒放下時，請注意週遭環境是否安全。
若環境不安全因恐造成嬰幼兒不慎摔落等危險發生。

前向式懷抱的準備

❶解開調整式安全固定扣。
❷拆下新生兒保護墊。（請參閱P11）
❸解開左右兩側的腹部固定扣（黃色）。
❹將左右兩側的肩部安全揹帶調整為較長的長度。




小建議


・將肩部安全揹帶調整為較長長度，將更容易揹起嬰幼兒。

前向式懷抱的使用方法

（接下頁）


❶請參閱P15「直立式懷抱的使用方法❼、❽」進行腰部安全帶的安裝。






將腰部安全帶的前端調整到鬆緊帶的上方。

❷坐在安全的場所，將嬰幼兒的身體朝向前方的姿勢，放上揹巾。
❸插入左右兩側的腹部固定扣（黃色）直至聽見「喀嚓」聲為止。
❹調整左右兩側腹部安全帶的長度。（請參閱P7）





⚠警告


• 讓嬰幼兒乘坐揹巾時，請注意週遭環境是否安全。
若環境不安全因恐造成嬰幼兒不慎摔落等危險發生。
• 請務必裝上懷抱型雙重束護帶。
因恐導致嬰幼兒摔落。


前向式懷抱的使用方法（接續）

❺使用者揹上左右兩側肩部安全揹帶。





❻扣上背後的調整式安全固定扣，調節調整式安全帶。(請參閱P7)
❼確認嬰幼兒的雙腿是否伸出揹巾。





❽調整左右兩側的肩部安全揹帶（請參閱P7），藉此調整嬰幼兒的位置。
❾將尾端剩餘的肩部安全揹帶對折後塞入鬆緊帶內固定。





小建議

・嬰幼兒的手臂可以放在肩帶內側或者外側。嬰幼兒手臂在外側時，若嬰幼兒的身體容易向前傾，請將嬰幼兒的手放回內側。

小建議


・若肩部或腰部感覺到負擔的話，請重新調節肩部安全揹帶以及腰部安全帶。
・使用前向式懷抱時，使用30分鐘請休息。
・一般穿戴於略低於腰部的腰骨高度，可進一步減少負擔。請依據嬰幼兒的身高調整至適當位置。

❿請面對鏡子確認懷抱姿勢。若使用姿勢不對，請重新安裝、調節。

前向式懷抱的確認

①嬰幼兒的頭部不可以擋住使用者的視線。
②嬰幼兒的左右手臂請伸出外側。
③嬰幼兒的雙腿請伸出外側。
④請確認調整式安全固定扣是否緊扣。
⑤請調節調整式安全帶。
⑥請確認腹部固定扣是否緊扣。
⑦請調整腹部安全帶。
⑧請確認肩部安全揹帶固定扣是否緊扣。
⑨請調整肩部安全揹帶。
⑩請確認腰部安全帶固定扣是否緊扣。
⑪請調整腰部安全帶。






警告
• 請面對鏡子確認懷抱姿勢。
務必遵守使用方法，因恐使用不當而造成嬰幼兒不慎摔落等危險。

如何從前向式懷抱放下

❶在安全的場所坐下，解開調節式安全固定扣及取下肩部安全揹帶。
❷解開左右兩側的腹部固定扣（黃色）。
❸將嬰幼兒抱出。



警告
• 將嬰幼兒放下時，請注意週遭環境是否安全。
若環境不安全因恐造成嬰幼兒不慎摔落等危險發生

Q&A

Q 直立式懷抱時，感覺身體整個埋在裡面，看不到寶寶的臉，這樣用可以嗎？

A 相對於寶寶的身高，靠背部位若較長時，請在寶寶的屁股下墊毛巾等，以調整寶寶的高度。此外，請讓腰部安全帶位在稍微高一點的腰部一帶（請參閱P17）

Q 腰部安全帶應該位在哪裡才好呢？

A 一般而言，腰部安全帶位在腰部稍微下方的腰骨一帶，比較能減輕負擔。請配合寶寶的身高，調整至適當的位置。

Q 多餘的安全帶長長的垂下來，感覺不太好。

A 可用鬆緊帶收整安全帶（請參閱P15）

Q 直立式懷抱時，寶寶的肩膀露到外面，有沒有關係呢？

A 寶寶的手臂即使露在外面，使用上也沒有問題。但是因為寶寶的上半身不穩定，尤其是還不會坐起的寶寶，所以請用手支撐寶寶。

Q 揹巾的布料和寶寶的肌膚接觸的部分，有時候會紅紅的…。

A 寶寶的肌膚留下揹帶的痕跡、或是肌膚因為摩擦而發紅時，請穿上能夠覆蓋肌膚露出部位的衣服，或者是在露出部位墊上毛巾等，避免與揹巾直接接觸。

檢查事宜

○使用之前，請確認固定扣等部件未有破損，安全帶及布料等有破損及綻開、裂痕等情況。
在異常狀態下使用，恐有發生意外事故之虞。


保養事宜

〈輕度的髒污〉

○請用沾濕的布拍打，去除髒污。


〈洗滌〉

○主體･新生兒保護墊



※禁止扭曲或變形。

○安眠型遮頭護罩



※使用洗衣袋時禁止扭曲或變形。

※請放入洗衣袋中，洗衣機水溫設定40度以下，並以低速弱洗程序清洗。

⚠注意

○主體及新生兒保護墊，請勿使用洗衣機、脫水機、乾衣機。恐有造成固定扣及拉鏈等部件破損之虞。
○清洗新生兒保護墊時，請先黏住魔鬼氈之後再手洗。
○清洗安眠型遮頭護罩時，請用洗衣網。
○請和其他衣物分開清洗。恐有褪色而染到其他衣物之虞。
○不可使用含螢光劑之清潔劑。
○不可使用漂白劑。
○請勿浸泡。
○請勿在濡濕的狀態置之不理。恐有發霉之虞。
○洗滌後，請充分乾燥之後再使用。乾燥不充分時，恐有發霉之虞。

MEMO

4-way baby carrier with a waist strap


COLAN CTS


Aprica

- This product is a Carry Travel System (CTS) which can be used in combination with a baby sling and dedicated stroller types.
- The baby stroller has to be purchased separately.
- Please refer to the CTS user manual for more information on CTS.


User Manual

Thank you for purchasing this product.
This product is designed for use with a single baby from newborn up to 15kg of weight.


Horizontal carrying


Vertical carrying


Piggyback carrying


Front-facing carrying

※The waist measurement of the wearer should fall within the range of 74cm-118cm.
※Depending on the thickness of the wearer's winter clothings or the wearer's physique, usage of this product may not be possible.

Please carefully read this specification before use and use it correctly.
Please do not use any method except the ones specified in this specification, to operate this product, since it may not be able to maintain this product's function correctly, and is very dangerous.
Please carefully keep this book after using it.

Contents

Before use
About this baby carrier / About the symbols used in this manual 1
Using the product 1
Safety precautions 2
Precautions for use ..... 3~4
Removing the product 5
Setting up the waist strap 6
Newborn head support and sleeping hood 6
Using the buckles 7
Adjusting the straps 7

Horizontal carry 〈From newborn up to 7kg of weight〉
Setup for horizontal carry 8
Using the baby carrier for horizontal carry ..... 9~10
Unloading the baby from horizontal carry 10
Removing the newborn head support 11
Stowing the baby carrier 12
Installing the newborn head support 13

Vertical Carrying 〈up to 15 kg after neck stabilization〉
Setup for vertical carry 14
Using the baby carrier for vertical carry ..... 14~16
Unloading the baby from vertical carry 16
When the baby is a few months 17
Sleeping hood ..... 17~18

Piggyback Carrying 〈up to 15 kg after neck stabilization〉
Setup for piggyback 19
Using the baby carrier for piggyback ..... 19~21
Change from vertical carrying to back carrying ..... 22~23
Sleeping hood 24
When the baby is a few months 25
Unloading the baby from piggyback 25

Front-facing Carrying 〈can seat independently up to 13 kg〉
Setup for front-facing carry 26
Using the baby carrier for front-facing carry ..... 26~28
Unloading the baby from front-facing carry 28

Others
Q&A ..... 29~30
Maintenance 31

About this baby carrier

- This product is designed for embracing or carrying a baby during outdoor activities. It is for 1 person use. Before use, please first understand "the names of each part" in P5.
- For simplicity and clarity, the illustrations and assemblies used in this manual may not be completely identical with the actual product. The actual product will prevail should there be any difference.

About the symbols in this manual


- [WARNING], [CAUTION] and [PROHIBITED] symbols indicate the degree of damage you might be exposed to, in case you do not follow these warnings. The meaning of the symbols is extremely important, please be sure to follow them carefully.

Symbol	Content of the symbol
⚠Warning	Situations that might provoke death or serious injury to the user due to incorrect use.
⚠Caution	Situations that might provoke injury or malfunction of the product due to incorrect use.

Symbol	Content of the symbol
⊘	Please do not perform these prohibited actions.

Using the product


- The range of suitable users under the SG mark refers to the usage period marked in red line. Usage period falling within the black line (for babies of 24 months to 36 months old who are carried using vertical carrying) is not within the range of suitable users.



※Because of differences in body shape and the wearing of thick clothes in winter time, you might not be able to use this product.
※Depending on the thickness of the wearer's winter clothings or the wearer's physique, usage of this product may not be possible.

Precautions for safe use

- In Horizontal carrying, Vertical carrying, Piggyback carrying and Front-facing carrying, please be sure to fasten the safety buckle.
- Please adjust the length of the straps according to the wearer's physique and tighten the straps.
- When the feet and legs of the baby are exposed, markings might appear on the skin or even become red. Under these circumstances, please make the baby wear clothes that cover the skin or put a towel on the exposed skin to prevent the skin from touching the sling.



⚠Warning

- Before use, please ensure that the buckles are fastened under stationary condition.
  There may be a risk of the baby falling out or injury to the baby.
- Please adjust the length of the straps to slightly taut according to the wearer's physique.
  If the space between the baby and the user is large, you might not be able to cope with baby's unexpected movements. There is a risk of accident, the baby falling down or becoming hurt.

Precautions for use

· The content described herein is extremely important. Please read it carefully and follow closely.

⚠ Warning Situations that might provoke death or serious injuries to the user due to incorrect manipulation.

Please ensure that the shoulder buckles, waist buckle and adjustable joint buckle are fastened during use.
There may be a risk of the baby falling out or injury to the baby.



Please ensure to adjust the shoulder straps, waist straps and adjustable joint strap so that they are not loose during use.
There may be a risk of the baby falling out or injury to the baby.



Please, do not run, jump or bend.
The baby could fall down and become hurt.



It cannot be used with babies that have not developed a mature neck.
There is a risk of harming the baby's health.



It cannot be used in vertical carrying and piggyback carrying positions with babies over 15kg.
The baby could fall down and become hurt.



The front-facing carrying cannot be used with babies over 13kg.
The baby could fall down and become hurt.



Do not use horizontal carry position for babies weighing more than 7kg or babies who are able to roll over.
There may be a risk of injury to the baby.



Please do not use this product within 30 minutes after feeding the baby. There will be pressure on the baby's stomach which may affect digestion and absorption. Make sure the installation is secure, please do not use this product continuously for more than 2 hours. There may be a risk of damage to the health of the baby and wearer.



⚠ Warning Situations that might provoke death or serious injuries to the user due to incorrect manipulation.

- For infants younger than 4 months old, please do not allow the infant's face to be tightly pressed against the carer's body. There may be a risk of the infant suffocating in this product.
- Do not bind the body of the infant and carer too tightly together. During installation, leave some room for the infant's head movement. There may be a risk of the infant suffocating in this product.
- When detaching the product, please take note that it is installed properly to prevent the baby from falling out. There may be a risk of the baby falling out of the opening of the product.
- Please keep a low posture when switching to piggyback or other carrying positions and when unloading the baby. When the baby's body is tilted, support the baby with your hand and be careful not to let the baby fall out. Also, please take note that the baby's head is not pointing downward. You may bend your knees to lower your waist while performing these. There may be a risk of the baby falling out.
- Please pay attention to the baby's conditions when using this product. Make sure that the baby's airway is not blocked. There may be a risk of suffocation or other unforeseen accidents.
- Do not block the baby's airway by pressing the baby's face tightly against the wearer's chest. There may be a risk of suffocation if the airway is blocked.
- Please pay attention to the baby's conditions while performing household chores or cooking. There may be a risk of the baby getting scalded or other unforeseen accidents due to distraction from household chores.
- Please ensure that the newborn head support is installed when using the horizontal carry position.

⚠ Warning Situations that might provoke death or serious injuries to the user due to incorrect manipulation.

Please ensure that the holding harness is installed when using horizontal carry position.
There may be a risk of the baby falling out or injury to the baby.




It cannot be used after the stitched front end of the safety belt has been torn or cut.
The baby could fall down and become hurt.



It cannot be used when the fixed buckle, safety belt, clothes and others are broken, torn or damaged.
The baby could fall down and become hurt.



It cannot be used in airplanes, cars, bikes and motorcycles.



When using the horizontal carry position, please use your left hand to support the baby so that the baby's face does not turn to face downward. There may be a risk of the baby falling out or other unforeseen accidents.



⚠ Warning Situations that might provoke death or serious injuries to the user due to incorrect manipulation.

Please stop using the product if the user feels pain or uncomfortable in use.

Please fasten the buckles even when they are not in use.



When in the vertical carrying position it is difficult to see the feet, so please be careful when you are walking.



Please, do not place it near heaters or other high tempera ture places.



Please, do not store it in places where it can be exposed to direct sunlight. It could lead to faster discoloration and deterioration.




Please, do not use it for other purposes different from carrying your baby, such as for transport ing items.





Removing the product

・Please check every part of the product when removing it.
・If any part is missing or faulty or is broken, please contact your local dealer or head office.
・The waist straps are stowed in the mesh pocket.

〈Name of parts〉







※Product model and serial number are described on the quality symbol tag.

〈Accessories〉 When taking the baby carrier out of the packaging, the newborn head support is already installed on the baby carrier.



Sleeping hood
(used only when the newborn head-support is removed)(See page 17)




User Manual
(this book)



Carry Travel System User Manual


Setting up the waist strap

〈Taking out the waist straps〉



・Take the waist straps out of the mesh pocket.

〈Stowing the waist straps〉



・Fold the waist straps and place them in the mesh pocket.

Advice

・Fold the longer waist strap three times before stowing it.

Newborn head support and sleeping hood

〈Suitable periods for using newborn head support and sleeping hood〉



Newborn head support




Sleeping hood

Horizontal carrying	・Please ensure that the newborn head support is used. ・Unable to use the sleeping hood.
Vertical carrying	・The newborn head support may be used from when the baby's neck is stable until the baby is able to sit up unaided at about 7 months old. ・The baby carrier may be used without the newborn head support as the baby outgrows the need for it or it has become too tight for the baby. ・Please remove the newborn head support when using the sleeping hood.
Front-facing carrying	・Please remove the newborn head support. ・Unable to use the sleeping hood.
Piggyback carrying	・The newborn head support may be used from when the baby's neck is stable until the baby is able to sit up unaided at about 7 months old. ・The baby carrier may be used without the newborn head support as the baby outgrows the need for it or it has become too tight for the baby. ・Please remove the newborn head support when using the sleeping hood.


Using the buckles

〈Shoulder buckle〉

How to buckle up




How to remove



〈Waist buckle〉


How to buckle up

❶Pass the waist buckle through the elastic band and buckle up.
❷Pull the front end of the safety buckle over the elastic band.




How to remove

❶Pass the front end of the waist safety buckle through the elastic band.
❷Open the waist buckle and pull it out from the elastic band.




〈Adjustable joint buckle & Abdomen buckle〉

How to buckle up



How to remove




Adjusting the straps


⚠Warning
・Please adjust the length of the product safety belt to the user's body and fasten it.If the space between the baby and the user is big, and the length of the left and rightsafety straps are different, you might not be able to cope with the baby's unexpectedmovements, thus being at risk of accident, the baby falling down or ecoming hurt.

〈Shoulder strap〉

How to shorten




How to lengthen




〈Waist strap〉

How to shorten




How to lengthen




〈Adjustable joint belt & Abdomen belt〉

How to shorten




How to lengthen



Setup for horizontal carry ※Before placing the baby on the baby carrier, please adjust the length of the shoulder straps to fit the wearer's physique.

❶Check to ensure that the waist straps have been stowed. (See page 6)
❷Overlap the left and right shoulder straps and hoist this product diagonally across the shoulders. (Over the head and through one of the underarms)
❸Adjust the length of the shoulder straps and check the height and angle. (See page 7)






Advice


・The recommended position of the baby carrier should be above the solar plexus (pit of stomach) and below the chest of the wearer.

〈Adjusting the height〉

❶Please shorten the shoulder straps if the position of the baby carrier is too low. (See page 7)
❷Use the rubber band to tidy up the excess shoulder straps.




・Please lengthen the shoulder straps if the position of the baby carrier is too high.




〈Adjusting the angle〉

・Shortening the shoulder strap which is closer to the wearer's shoulder (about 10cm) allows more intimate contact between the baby and the wearer, hence the baby feels more secure.




〈Setting up the baby carrier〉

❶Unfasten the adjustable joint buckle.
❷Unfasten the left and right abdomen buckles (yellow).
❸Spread out the holding harness.




Using the baby carrier for horizontal carry


❶Place the baby on the baby carrier and fasten the left and right abdomen buckles (yellow) until a 'click' sound is heard.
❷Adjust the length of the left and right abdomen belts. (See page 7)



❸Fasten the adjustable joint buckle until a 'click' sound is heard.
❹Place one of the shoulder straps over the other and adjust the length of the adjustable joint belt. (See page 7)



❺Overlap the left and right shoulder straps and hoist this product diagonally across the shoulders.



Advice

- Please ensure that this product is handled with both hands.
- If there is increased pressure on the shoulders and waist, please readjust the shoulder and waist straps.

Warning

- Please do not use the horizontal carry position for babies who are able to roll over unaided or above 7kg in weight
- Place the baby on the baby carrier at a safe place. Doing so at unstable places may cause a risk of the baby falling out.
- Please keep a low posture when switching to the carrying positions and when unloading the baby. When the baby's body is tilted, support the baby with your hand and be careful not to let the baby fall out. Also, please take note that the baby's head is not pointing downward. You may bend your knees to lower your waist while performing these. There may be a risk of the baby falling out.
- When detaching the product, please take note that it is installed properly to prevent the baby from falling out. There may be a risk of the baby falling out of the opening of the product.

Warning

- Do not allow the baby's face to be tightly pressed against the carer's body. There may be a risk of the baby suffocating in this product.
- Do not bind the body of the infant and carer too tightly together. During installation, leave some room for the infant's head movement. There may be a risk of the infant suffocating in this product.
- Do not block the baby's airway by pressing the baby's face tightly against the wearer's chest. There may be a risk of suffocation if the airway is blocked.
- Please pay attention to the baby's conditions when using this product. There may be a risk of suffocation if the baby's airway is blocked.


❻Check the carrying posture in a mirror. Please install or adjust again if the posture is not correct.

Warning

- Please ensure that the baby carrier is used in a proper manner. There may be a risk of the baby falling out and other dangers if it is not used properly.

Points to check for horizontal carry


①Please check that the baby's head is at a higher level than the buttock.
②Please check that the adjustable joint buckle is firmly fastened.
③Please adjust the adjustable joint belt.
④Please check that the abdomen buckles are firmly fastened.
⑤Please adjust the abdomen belts.
⑥Please adjust the shoulder straps.
⑦Use the rubber band to tidy up the excess shoulder straps.



Unloading the baby from horizontal carry

❶Take off the shoulder straps.
❷Unfasten the adjustable joint buckle.
❸Unfasten the left and right abdomen buckles and lift the baby out.






Warning

- Lower the baby at a safe place.
  There may be a risk of the baby falling out and other dangers if it is carried out at an unsafe place.


Removing the newborn head support

※When taking the baby carrier out of the packaging, the newborn head support is already installed on the baby carrier.


❶Unfasten the adjustable joint buckle.
❷Unfasten the left and right newborn head support belt snap buttons.



❸Unfasten the left and right abdomen buckles (yellow).
❹Spread out the holding harness.




❺Unfasten the left and right abdomen buckle cover snap buttons.
❻Pull out the left and right abdomen buckle covers by passing through the belt hole on the newborn head support.
❼Remove the newborn head support.




Stowing the baby carrier


❶Take the waist straps out from the mesh pocket.
❷Remove the newborn head support.
❸Fasten the adjustable joint buckle.



❹Tidy up the left and right shoulder straps and fold them up.




❺Fasten the waist buckle and adjust the waist straps.




Installing the newborn head support

※When taking the baby carrier out of the packaging, the newborn head support is already installed on the baby carrier.


❶Place the newborn head support on the baby carrier.
❷Pass the left and right abdomen buckle covers through the belt hole on the newborn head support.
❸Fasten the left and right abdomen buckle cover snap buttons.



❹Fasten the left and right abdomen buckles (yellow).




❺Wrap the left and right newborn head support belts (2) around the shoulder strap covers and fasten the newborn head support belt snap buttons.
❻Fasten the adjustable joint buckle.




⚠Warning
· Please install the newborn head support correctly.
Please ensure that the baby carrier is used in a proper manner. There may be a risk of the baby falling out and other dangers if it is not used properly.

Setup for vertical carry


❶Fold back the newborn head support guard and fasten the snap button.
❷Unfasten the adjustable joint buckle on the shoulder straps and move the adjustable joint belts up.
❸Pull the waist straps out from the mesh pocket.
❹Unfasten the left and right abdomen buckles (yellow).





Advice


· Please do not use the sleeping hood with the newborn head support installed.
· The newborn head support can also be removed when using the vertical carry position.
· After moving the adjustable joint belts up (step 5 on page 15), it will be easier to fasten the adjustable joint buckle at the back of the neck.



Using the baby carrier for vertical carry

(continue)

❶Spread out the baby carrier at a safe place and place the baby on the baby carrier.
❷Fasten the left and right abdomen buckles (yellow) until a 'click' sound is heard.
❸Adjust the length of the left and right abdomen belts.




Advice

· Adjust the abdomen belts such that 2-3 adult fingers can be inserted between the baby and the belt at the baby's waist area.

⚠Warning
· Please ensure that the holding harness is installed.
There may be a risk of the baby falling out.

❹Lift the baby up together with the baby carrier and put on the left and right shoulder straps.




Advice

· When putting on the baby carrier, the wearer may also begin with fastening the waist buckle before putting on the left and right shoulder straps.


Using the baby carrier for vertical carry (continue)


❺Fasten the adjustable joint buckle at the back and adjust the adjustable joint belt.
❻Check to ensure that the baby's legs extend out of the baby carrier.






❼Pass the waist buckle through the elastic loop and fasten it until a 'click' sound is heard.
❽Adjust the length of the waist strap (see page 7) and use the rubber band to tidy up the excess waist straps.






Let the front end of the waist strap run above the elastic loop.

❾Adjust the left and right shoulder straps (see page 7) and adjust the position of the baby at the same time.
❿Fold the excess shoulder straps and hold it with the rubber band.





Advice


· If there is pressure on the shoulders or waist, please readjust the shoulder and waist straps.
· Generally, wearing the baby carrier at a height slightly lower than the lumbar spine will further reduce the load. Please adjust the position according to the baby's height.


Warning
· Please keep a low posture when switching to the carrying positions and when unloading the baby. When the baby's body is tilted, support the baby with your hand and be careful not to let the baby fall out. Also, please take note that the baby's head is not pointing downward. You may bend your knees to lower your waist while performing these. There may be a risk of the baby falling out.
· When detaching the product, please take note that it is installed properly to prevent the baby from falling out. There may be a risk of the baby falling out of the opening of the product.

⓫Check the carrying posture in a mirror. Please install or adjust again if the posture is not correct.

Points to check for vertical carrying

①The baby's head must not be blocking the wearer's field of vision.
②Extend baby's arms.
③Extend baby's feet.
④Please check that the adjustable joint buckle is firmly fastened.
⑤Please adjust the adjustable joint belt.
⑥Please check that the abdomen buckles are firmly fastened.
⑦Please adjust the abdomen belts.
⑧Please check that the shoulder buckles are firmly fastened.
⑨Please adjust the shoulder straps.
⑩Please check that the waist buckles are firmly fastened.
⑪Please adjust the waist straps.







Warning
· Please check the carrying posture in a mirror.
Please ensure that the baby carrier is used in a proper manner. There may be a risk of the baby falling out and other dangers if it is not used properly.

Unloading the baby from vertical carry

❶Unfasten the waist buckle.
❷Place the baby down at a safe place and unfasten the adjustable joint buckle.
❸Take off the left and right shoulder straps from the shoulders.
❹Unfasten the left and right abdomen buckles (yellow) and lift the baby out of the baby carrier.






Warning
· Lower the baby at a safe place.
There may be a risk of the baby falling out and other dangers if it is carried out at an unsafe place.

When the baby is a few months

· For younger babies, positioning the waist strap at a higher position will provide more stability.



· The height can be adjusted by placing a towel under the baby's buttock.



Sleeping hood

· The baby feels safe and secure when used during sleep.
· Protects the baby from the wind and sun.


〈How to adjust〉

· Please adjust to <long hood cover> or <short hood cover> in line with the baby's growth.


〈When not in use〉


· Move the snap buttons to a lower position and fold the sleeping hood in half.

〈Short hood cover〉



〈Long hood cover〉






Warning
· When using the sleeping hood, please pay special attention to the baby's conditions. There may be a risk of suffocation and other dangers if the baby's mouth or nose is covered by the hood accidentally.

Caution
· Please stop using the sleeping hood if the baby tends to lean backward during sleep.

〈Installing the sleeping hood〉


❶Position the sleeping hood such that the quality label faces the inner side of the baby carrier.
❷Pass the snap buttons through the loops. (Left & right)
❸Fasten the snap buttons after passing them through the loops.
❹Fasten the snap buttons to the shoulder straps. (Left & right)



Advice
· When adjusting the sleeping hood or when the sleeping hood is not in use, see page 17.

〈How to remove〉


❶Unfasten the snap buttons of the sleeping hood. (3 locations)
❷Pull out the snap buttons through the loops and remove the sleeping hood.




Advice
· When adjusting the sleeping hood or when the sleeping hood is not in use, see page 17.

Setup for piggyback

❶Fold back the newborn head support guard and fasten the snap button.
❷Unfasten the adjustable joint buckle on the shoulder straps and move the adjustable joint belts up.
❸Pull the waist straps out from the mesh pocket.
❹Unfasten the left and right abdomen buckles (yellow).






Using the baby carrier for piggyback

(continue)

❶Spread out the baby carrier at a safe place and place the baby on the baby carrier.
❷Fasten the left and right abdomen buckles (yellow) until a 'click' sound is heard.
❸Adjust the length of the left and right abdomen belts.





Advice

· Adjust the abdomen belts such that 2-3 adult fingers can be inserted between the baby and the belt at the baby's waist area.

Warning

· Please ensure that the holding harness is installed.
There may be a risk of the baby falling out.


❹Lift the baby up together with the baby carrier and put on the left and right shoulder straps.




Warning

· Please pay attention to the baby's movements when switching to piggyback position. This must be carried out at a safe place, and it is safer to have someone to assist you. Doing so at unstable places may cause a risk of your baby falling out.
· Please pay attention to the baby's conditions when using this product. There may be a risk of suffocation if the baby's airway is blocked.

❺Put on the baby carrier while leaning forward. Pass the waist buckle through the elastic loop and fasten it.






Let the front end of the waist strap run above the elastic loop.

Caution

· Please take note that the baby's legs must not be caught between the wearer and the waist straps. There may be a risk of the baby's legs getting bruised or the baby falling out.


❻Adjust the position of the baby's buttock so that it is higher than the waist strap.
(Adjust the left and right shoulder straps to lower the position of the waist strap.)




Advice

· The baby will feel more stable and comfortable if the position of the baby's buttock coincides with the wearer's waist.

❼Adjust the length of the waist straps and use the rubber band to tidy up the excess waist straps.
❽Fasten the adjustable joint buckle and adjust the adjustable joint belt.






Neck stabilized-weight up to 15kg
Piggyback Carrying

Using the baby carrier for piggyback (continue)

❾Adjust the left and right shoulder straps.
❿Fold the excess shoulder straps and hold it with the rubber band.






Advice

· If there is pressure on the shoulders or waist, please readjust the shoulder and waist straps.
· Generally, wearing the baby carrier at a height slightly lower than the lumbar spine will further reduce the load. Please adjust the position according to the baby's height.

⓫Check the carrying posture in a mirror. Please install or adjust again if the posture is not correct.

Points to check for piggyback carrying

①Extend baby's arms.
②Extend baby's feet.
③Please check that the adjustable joint buckle is firmly fastened.
④Please adjust the adjustable joint belt.
⑤Please check that the abdomen buckles are firmly fastened.
⑥Please adjust the abdomen belts.
⑦Please check that the shoulder buckles are firmly fastened.
⑧Please adjust the shoulder straps.
⑨Please check that the waist buckles are firmly fastened.
⑩Please adjust the waist straps.





Warning · Please check the carrying posture in a mirror.
Please ensure that the baby carrier is used in a proper manner. There may be a risk of the baby falling out and other dangers if it is not used properly.

Caution · Please stop using the baby carrier if the wearer feels any pain or discomfort during use. Especially for breastfeeding mothers, there may be a risk of pressure on the breasts.

Change from vertical carrying to piggyback carrying (continue)

❶Unfasten the adjustable joint buckle in the vertical carry position.
❷Take off the left and right shoulder straps.
❸Hold on to the shoulder straps tightly. Lean forward and then move the baby to the back while supporting the baby.
❹Put on the shoulder straps.







Caution · When switching from vertical carry to piggyback position, please ensure that it is carried out at a safe place. There may be a risk of the baby falling out and other dangers if it is carried out at an unsafe place.

Warning · Please pay attention to the baby's conditions when using the piggyback position. There may be a risk of suffocation and other dangers if the baby's mouth or nose is covered by the hood accidentally.


Change from vertical carrying to piggyback carrying (continue)


❺Fasten the adjustable joint buckle and adjust the adjustable joint belt. (See page 7)





❻Adjust the left and right shoulder straps (see page 7) and adjust the position of the baby at the same time.
❼Fold the excess shoulder straps and hold it with the rubber band.





Advice

· If there is pressure on the shoulders or waist, please readjust the shoulder and waist straps.
· Generally, wearing the baby carrier at a height slightly lower than the lumbar spine will further reduce the load. Please adjust the position according to the baby's height.

❽Check the carrying posture in a mirror. Please install or adjust again if the posture is not correct.



Warning

· Please check the carrying posture in a mirror. Please ensure that the baby carrier is used in a proper manner. There may be a risk of the baby falling out and other dangers if it is not used properly.


Sleeping hood

· The baby feels safe and secure when used during sleep.
· Protects the baby from the wind and sun.
· Please see page 18 for information on the installation and removal of sleeping hood.


〈How to adjust〉

· Please adjust to <long hood cover> or <short hood cover> in line with the baby's growth.

〈Short hood cover〉



〈Long hood cover〉






Advice

· Please look in the mirror to check that the sleeping hood is covering the baby properly. Check to ensure that the sleeping hood is used in a proper manner. Please adjust again if the position is not correct.

〈When not in use〉

· Move the snap buttons to a lower position and fold the sleeping hood in half.



Warning


· When using the sleeping hood, please pay special attention to the baby's conditions.
There may be a risk of suffocation and other dangers if the baby's mouth or nose is covered by the hood accidentally.

Caution

· Please stop using the sleeping hood if the baby tends to lean backward during sleep.

When the baby is a few months

· For younger babies, positioning the waist strap at a higher position will provide more stability.





· The height can be adjusted by placing a towel under the baby's buttock.




Unloading the baby from piggyback

❶Unfasten the adjustable joint buckle.
❷Lower the baby slowly.
❸Take off the left and right shoulder straps.
❹Unfasten the waste buckle.
❺Unfasten the left and right abdomen buckles (yellow).







Advice


· In event that there is no chair around, please switch back from piggyback to vertical carry position (see steps ❹→❸→❷ on page 22), and then lower the baby at a safe place.

Warning

· Lower the baby at a safe place. There may be a risk of the baby falling out and other dangers if it is carried out at an unsafe place.

Setup for front-facing carry

❶Unfasten the adjustable joint buckle.
❷Remove the newborn head support. (See page 11)
❸Unfasten the left and right abdomen buckles (yellow).
❹Lengthen the left and right shoulder straps.




Advice


· Lengthen the shoulder straps so that it is easier to lift up the baby.

Using the baby carrier for front-facing carry

(continue)

❶Please see page 15 "Using the baby carrier for vertical carry – steps ❼、❽" when installing the waist straps.






Let the front end of the waist strap run above the elastic loop.

❷Sit down at a safe place and place the baby on the baby carrier with the baby facing forward.
❸Fasten the left and right abdomen buckles (yellow) until a 'click' sound is heard.
❹Adjust the length of the left and right abdomen belts. (See page 7)





Warning


· Place the baby on the baby carrier at a safe place. There may be a risk of the baby falling out and other dangers if it is carried out at an unsafe place.
· Please ensure that the holding harness is installed. There may be a risk of the baby falling out.


Using the baby carrier for front-facing carry (continue)

❺Put on the left and right shoulder straps over the wearer's shoulders.





❻Fasten the adjustable joint buckle at the back and adjust the adjustable joint belt. (See page 7)
❼Check to ensure that the baby's legs extend out of the baby carrier.





❽Adjust the left and right shoulder straps (see page 7) and adjust the position of the baby at the same time.
❾Fold the excess shoulder straps and hold it with the rubber band.





❿Check the carrying posture in a mirror. Please install or adjust again if the posture is not correct.

Advice


· The baby's arms may be placed on the inside or outside of the shoulder straps. If the baby tends to lean forward when the arms are on the outside, please move the baby's arms back to the inside of the shoulder straps.


Advice

· If there is pressure on the shoulders or waist, please readjust the shoulder and waist straps.
· When using the front-facing carry position, take a rest after 30 minutes.
· Generally, wearing the baby carrier at a height slightly lower than the lumbar spine will further reduce the load. Please adjust the position according to the baby's height.

Points to check for front-facing carrying

①The baby's head must not be blocking the wearer's field of vision.
②Extend baby's arms.
③Extend baby's feet.
④Please check that the adjustable joint buckle is firmly fastened.
⑤Please adjust the adjustable joint belt.
⑥Please check that the abdomen buckles are firmly fastened.
⑦Please adjust the abdomen belts.
⑧Please check that the shoulder buckles are firmly fastened.
⑨Please adjust the shoulder straps.
⑩Please check that the waist buckles are firmly fastened.
⑪Please adjust the waist straps.






Warning · Please check the carrying posture in a mirror.
Please ensure that the baby carrier is used in a proper manner. There may be a risk of the baby falling out and other dangers if it is not used properly.

Unloading the baby from front-facing carry

❶Sit down at a safe place. Unfasten the adjustable joint buckle and take off the shoulder straps.
❷Unfasten the left and right abdomen buckles (yellow).
❸Lift the baby out of the baby carrier.



Warning · Lower the baby at a safe place.
There may be a risk of the baby falling out and other dangers if it is carried out at an unsafe place.

Q&A

Q When in vertical carrying position, I feel like the whole body is "buried" inside and I cannot see baby's face. Can I use it in this way?

A With respect to the baby's height, if it is too long when leaning on the back, put a towel on the baby's bottom to adjust the height. In addition, leave the waist safety belt position slightly higher on your waist (see P17)

Q Which position is better for the waist strap?

A Generally, the waist strap best position is slightly lower than the waist bone. This can reduce the pressure caused by the weight on your body. Depending on baby's height, adjust it to the most suitable position.

Q The extra-long hanging safety belt part does not feel quite right.

A You can use the elastic band to roll up the safety belt (see P15)

Q When in a vertical carrying position, is it alright if the shoulder remains exposed?

A It is not a problem if the arms are exposed on the outside. However, when the baby's upper part of the body is not stable, especially when babies still cannot sit by themselves, you should hold them with your hands.

Q When the baby's skin and the baby carrier cloth are in contact with each other, the skin can become red...

A When baby's skin shows markings or becomes red because of contact with the baby carrier cloth, put some clothes on the baby to cover the exposed parts or cover them with a soft towel to prevent contact.

Final checks

· Before use, please check whether the fixed buckle and other accessories like seat belts or clothes are broken, open or cracked.
If used under abnormal circumstances, accidents may occur.

Maintenance

〈Slightly dirty〉

· Please, use a wet cloth to wipe and remove the dirt.

〈Washing〉

. Main body･Newborn head support



※Do not wring or twist.

. Sleeping hood



※Do not wring or twist when using in laundry bag.

※Water temperature of under 40 degree is recommended. Also, use low speed water flow to clean it.

⚠ Caution

· Please do not use a washing-machine, spinning-machine and drying-machine to wash the Main body and the newborn head support. It could damage the fixed buckles, zippers and other accessories.
· When washing the newborn head support, stick the velcro first and then hand-wash it.
· Use a washing net to clean the sleeping hood.
· Do not wash together with other clothes. There is a risk that the colors fade out and soil the other clothes.
· Do not use detergents containing fluorescent agents.
· Bleach cannot be used.
· Please, do not soak it.
· Please be aware of the humidity. There could be a risk of it going mouldy.
· After cleaning, please dry it completely before using it again. If it is not completely dry, it may go mouldy.

MEMO