Aprica

幼兒腰帶型三方向五用揹巾

Colanhug AB

使用說明書

本產品適用於體重15kg以內，供1個寶寶使用的揹巾。



※使用者適用腰圍為74cm~118cm範圍內。
※因使用者體型差異或冬天穿著厚重衣物等因素， 有時可能造成無法使用本產品。

感謝您使用Aprica公司的產品。使用前請詳細閱讀本說明書並正確地使用。
請勿使用本說明書內容以外的方法操作本產品。不僅無法充分發揮本產品的功能也十分的危險。使用後請妥善保存此書。

當本產品（揹巾主體）與新生兒保護墊組合時，新生兒即可適用。

目錄

使用之前
關於本揹巾 …… 1
關於本書的標示 …… 1
寶寶的使用期間 …… 1
安全使用的注意事項 …… 2
使用上的注意事項 …… 3～4
取出製品時 …… 5～6
安全扣的使用方法 …… 7
各部位的調節方法 …… 7
橫向式懷抱〈新生兒至體重7kg以內〉
橫向式懷抱的準備 …… 8～11
橫向式懷抱的使用方法 …… 12～14
橫向式懷抱使用時 …… 15
橫向式懷抱的放下方式 …… 15
直立式懷抱〈頭部安定後至體重13kg以內〉
新生兒保護墊的取出方式 …… 16～17
懷抱型雙重束護帶的使用方法 …… 17
直立式懷抱的準備 …… 18
直立式懷抱的使用方法 …… 18～21
月齡較小時 …… 22
安眠型遮頭護罩 …… 22
後揹式〈頸部安定後至體重15kg以內〉
後揹式的使用方法 …… 23～25
從直立式懷抱切換後揹式 …… 25～27
安眠型遮頭護罩 …… 28
月齡較小時 …… 29
如何從後揹式放下 …… 29
前向式懷抱〈可獨自坐起至體重13kg以內〉
前向式懷抱的使用方法 …… 30～32
如何從前向式懷抱放下 …… 32
腰抱式〈可獨自坐起至體重15kg以內〉
腰抱式的使用方法 …… 33～35
其他
揹巾的收納方法 …… 36
Q&A …… 37～38
檢查事宜 …… 39

關於本揹巾

○本製品是用來抱寶寶或揹寶寶，在接觸戶外及出外購物等時候使用的1人用揹帶。
使用前，請先確認P5的「各部位名稱」。

關於本書的標示


○「警告」、「注意」、「禁止」等符號是預測您未遵守注意事項的情況下，依據危害、損害的嚴重性來作區分。標示所表示的內容十分重要，請您務必遵守。

標示	標示的內容
⚠ 警告	使用方法錯誤時，可能會造成人員死亡或重傷等情形。
⚠ 注意	使用方法錯誤時，可能會造成人員受傷、使物品損壞等情形。

標示	標示的內容
⃠	請勿操作本說明書所禁止的行為。

寶寶的使用期間

○年齡及體重為參考數字，請依寶寶實際成長狀態使用本揹巾。




※因使用者體型差異或冬天穿著厚重衣物等因素， 有時可能造成無法使用本產品。

安全使用的注意事項

- 在使用橫向式懷抱、直立式懷抱、後揹式、前向式懷抱、腰抱式模式時，請務必扣上安全扣。
- 產品安全帶的長度請配合使用者的身體，並且調緊。
- 腳部露出的寶寶使用時，可能會在肌膚上留下揹帶的痕跡或是極少出現的皮膚摩擦發紅。此種情況下，請穿上覆蓋住肌膚露出部位的衣物，或者是在露出部位放上毛巾等，避免與揹巾直接接觸。


橫向式懷抱






直立式懷抱






後揹式






前向式懷抱





腰抱式





警告

- 請勿在肩部調節安全扣、腰部安全扣各連接式安全扣解開之狀態下使用。恐有導致寶寶摔落、受傷之虞。
- 安全帶的長度請配合使用者之身體，並且調緊。寶寶與使用者之間的空隙如果過大，將可能無法應對寶寶預期外的動作，而有墜落、意外事故或受傷之虞。
- 在使用直立式懷抱、後揹式、前向式懷抱模式時，請務必使用懷抱型雙重束護帶。恐有導致寶寶摔落、受傷之虞。

使用上的注意事項

〇此處所記載的內容非常重要。請務必詳讀並且遵守。

⚠警告 使用方法錯誤時，可能會造成人員死亡或重傷等情形。

請勿在肩部調節安全扣、腰部安全扣、連接式安全扣解開之狀態下使用。
恐有導致寶寶摔落、受傷之虞。



請務必調整肩部安全揹帶、腰部安全帶、連接式安全帶的鬆緊，不可在鬆弛的狀態下使用。
恐有導致寶寶摔落、受傷之虞。



請勿採取跑、跳、前彎等不適當的姿勢。
恐有導致寶寶摔落、受傷之虞。




頸部尚未成熟的寶寶不可使用直立式懷抱、後揹式、前向式懷抱及腰抱式。
恐有損害寶寶身體健康之虞。



使用直立式懷抱、後揹式、前向式懷抱時，請注意孩童可能因捲曲身體或將雙腳不自然的擺放因而導致寶寶有摔落或受傷的危險。



哺乳後30分鐘以內請勿使用。因恐使用時壓迫寶寶的腹部，影響消化吸收。務必確認產品已安裝正確，請勿連續使用2小時以上。恐有損傷寶寶和使用者身體健康之虞。



⚠警告 使用方法錯誤時，可能會造成人員死亡或重傷等情形。

- 使用橫向式懷抱時，請務必使用新生兒保護墊。因恐寶寶有跌落或受傷的危險。
- 當寶寶體重超過7kg或可翻身時，請勿使用橫向式懷抱模式。因恐寶寶有跌落或受傷的危險。
- 當寶寶體重超過13kg時，請勿使用直立式懷抱及前向式懷抱模式。因恐寶寶有跌落或受傷的危險。
- 當寶寶體重超過15kg時，請勿使用腰抱式及後揹式模式。因恐寶寶有跌落或受傷的危險。
- 當使用者或寶寶身體狀況不佳或於使用過程中感到不適者，請立即停止使用本產品。
- 使用本產品時請注意寶寶的狀態。若呼吸道堵塞恐有窒息的危險。
- 使用時請務必使用懷抱型雙重束護帶。因恐導致寶寶摔落、受傷的危險發生。
- 穿戴揹巾或放下寶寶時請務必於安全的場地進行。不穩定的場所將導致寶寶摔落、受傷等危險發生。
- 包裝及塑膠袋請妥善收納於寶寶拿取不到之處。因恐導致窒息等意外事故發生。

未滿4個月的新生兒使用時，請注意新生兒的臉部若與使用者的身體過度緊靠，恐有窒息之虞。
請避免新生兒與使用者間的空間過緊，安裝時請保有讓寶寶頭部足夠的活動空間，恐有窒息之虞。
穿戴揹巾或放下寶寶時，請注意寶寶可能由開口處跌落的危險。
切換為後揹式或使用其他模式放下寶寶時，請保持低姿勢進行，若寶寶的身體傾斜時請以手扶住寶寶，避免寶寶跌落的危險。請注意當使用者彎腰或屈膝的姿勢時，因恐寶寶的頭部朝下，將有跌落的危險。

- 使用時請隨時注意寶寶的呼吸道暢通。若呼吸道堵塞恐有窒息等意外事故發生。。
- 請注意避免寶寶的臉部緊貼使用者的胸部，若寶寶的呼吸道阻塞，恐有窒息之虞。


當您在做家務或烹飪時，請務必隨時注意寶寶的狀態，避免因家務而分散注意力，導致寶寶燙傷或其他意外事故發生之危險。

⚠警告 使用方法錯誤時，可能會造成人員死亡或重傷等情形。


使用橫向式懷抱時，請務必安裝新生兒保護墊。恐有導致寶寶摔落、受傷之虞。




安全帶前端回針縫部位綻開、剪斷後，不可使用。恐有導致寶寶摔落、受傷之虞。



安全扣部有破損、安全帶或布料等破損、綻開、受損狀態下，不可使用。恐有導致寶寶摔落、受傷之虞。



不可於飛機、汽車、自行車、機車上使用。



使用橫向式懷抱時，請以雙手托住寶寶，切勿讓寶寶頭部朝下。恐有導致寶寶跌落或其他意外事故發生之虞。



⚠警告 使用方法錯誤時，可能會造成人員受傷、使物品損壞等情形。

如使用者在使用途中有任何疼痛或不舒服時，請勿繼續先用本產品。


不使用安全扣時，亦請保持扣合的狀態。避免孩童將手指伸入安全扣內。




直立式懷抱有時候難以看到前方腳下場合，所以走路時請小心注意。



請勿放置於暖氣設備附近等高溫地點。



保管時請勿置於日光直射的場所，將加速褪色及劣化。




請勿於抱、揹寶寶以外之其他目的下使用，例如搬運物品等。



取出製品時


・製品取出時，請務必確認配件是否齊全或各部位檢查是否損壞的動作。
・部品有缺少、弄錯或者破損時，請與經銷商或者總公司連絡。

〈各部位名稱〉 ■揹巾(主體)




※品番、批號記載於品質標示標籤。
品質標示標籤位於腰部安全帶內側。

〈新生兒保護墊〉



〈新生兒保護墊內側〉



〈新生兒保護墊外側〉

〈附屬品〉




使用說明書

安全扣的使用方法

〈腰部安全扣·肩部安全扣〉


安裝方法

❶將腰部安全扣穿過鬆緊帶，扣上腰部安全扣。
❷將腰部安全扣的前端拉出至鬆緊帶的上側。




卸除方法

❶將腰部安全扣的前端穿過鬆緊帶。
❷將腰部安全扣解開，從鬆緊帶將腰部安全扣抽出。




〈連接式安全扣、懷抱型雙重束護帶安全扣、腰部安全扣〉

安裝方法



卸除方法




各部位的調節方法

警告


・安全帶的長度請配合使用者之身體，並且調緊。
寶寶與使用者之間空隙過大，左右安全帶的長度不同，將可能無法應對寶寶預期外的動作，而有墜落、意外事故或受傷之虞。

〈肩部安全揹帶〉

縮短時




拉長時




〈腰部安全帶〉

縮短時




拉長時




〈連接式安全扣、懷抱型雙重束護帶安全扣、腹部安全扣〉

縮短時



拉長時




橫向式懷抱的準備


（接續下頁）


❶在安全的場所展開揹巾。
❷將右肩安全扣、左肩安全扣、腰部安全扣及連接式安全扣解開。

〈揹巾內側〉




❸將新生兒保護墊（頭部朝左側）橫向放在揹巾上。






⚠警告
・請勿在安裝安全帶的固定扣解開的狀態下使用。
恐有導致寶寶摔落及造成傷害的危險。


❹將安裝安全帶的固定扣扣在揹巾的腰部安全帶內側的固定扣上。
❺將新生兒保護墊的頭部部位對折，使得頭部背面側在外。






橫向式懷抱的準備


❻拉出左肩安全帶，以避免左肩安全扣折到的方式，穿過頭部安裝帶通過孔位，扣上頭部連接用安全扣。
❼將左肩安全帶由穿過頭部安裝帶通過孔位後，將左肩安全帶前端拉出。



❽用鬆緊帶收整多餘的左肩安全帶。
❾將新生兒保護墊恢復至攤平的狀態。



❿將頭部連接用安全扣穿進鬆緊帶，扣在左肩安全扣上。
⓫將新生兒保護墊的足部部位對折，使得足部背面側在外。




建 議

○使用橫向式懷抱時，縮短左肩安全帶，讓新生兒保護墊主體呈現水平不易傾倒的狀態。(請參閱P11)

（接續下頁）


⓬拉出右肩安全帶，以避免右肩安全扣折到的方式，穿過新生兒保護墊通過足部安裝帶通過孔位，扣在足部連接用安全扣上。
⓭將右肩安全帶的前端穿出足部安裝帶通過孔位拉出，調整右肩安全帶鬆緊。




建 議

○使用橫向式懷抱時，縮短右肩安全帶，讓新生兒保護墊主體呈現水平不易傾倒的狀態。(請參閱P11)

⓮用鬆緊帶收整多餘的右肩安全帶。
⓯將新生兒保護墊恢復至攤平的狀態。



⓰將足部連接用安全扣穿進鬆緊帶，扣在右肩安全扣上。




橫向式懷抱的準備

⓱請確認新生兒保護墊的安裝狀態。若不正確，請重新安裝及調整。

橫向式懷抱準備（新生兒保護墊安裝）的確認

①安裝安全帶的固定扣扣在揹巾的腰部安全帶固定扣上。
②左肩安全帶在沒有折到的情況下，穿過頭部安裝帶通過孔位。
③右肩安全帶在沒有折到的情況下，穿過足部安裝帶通過孔位。
④調整左右肩安全帶長度。
⑤頭部連接用安全扣穿過鬆緊帶，並且扣上。
⑥足部連接用安全扣穿過鬆緊帶，並且扣上。
⑦左右肩安全帶前端從鬆緊帶上方穿出。
⑧多餘的腹部安全帶前端穿過固定環。
⑨將安眠型遮頭護罩的固定扣扣在肩帶固定扣上。




⚠警告


・請照鏡子，確認使用姿勢。
若未正確使用，寶寶恐有摔落、引發意外事故之虞。


橫向式懷抱的使用方法

❶解開腹部安全扣。



❷在安全的場所將寶寶放入揹巾內，把左腳套進圈圈裡。
❸扣上腹部安全扣，調整腹部安全帶。






建 議


○在寶寶的腹部一帶，將腹部安全帶調整成可容納大人手指2～3指的寬鬆度。

⚠警告

・將寶寶放入揹巾時，請務必在安全的場所進行。
若在不穩定等場所，恐有導致寶寶摔落之虞。

❹將腰部安全扣穿過鬆緊帶。
❺扣上腰部安全扣。







將腰部安全帶前端拉出至鬆緊帶上方


橫向式懷抱的使用方法


❻將腰部安全帶調整至比腰部更高的位置。
❼用鬆緊帶收整多餘的腰部安全帶。







❽前彎，將手臂穿過左右肩安全帶。
❾將連接式安全扣扣在頸部後方。
❿調整連接式安全帶。





⓫用手支撐寶寶的頭部，調整左右肩安全帶，調整寶寶的位置。
⓬用鬆緊帶收整多餘的左右肩安全帶。





建 議

○對肩部或腰部造成負擔時，請重新調整腰部安全帶。

⓭請用鏡子等照姿勢，確認橫向式懷抱的狀態。若不正確，請重新安裝及調節。

橫向式懷抱的確認重點

〈寶寶〉


①腹部安全扣已確實地扣上。
②將腹部安全帶調整成可容納大人手指2～3指左右的程度。
③將多餘的腹部安全帶前端穿過固定環。


〈使用者〉

④確實地扣上連接式安全扣。
⑤將連接式安全帶調緊。
⑥將肩部安全帶調緊。
⑦確實的扣上腰部安全扣。
⑧腰部安全帶位於腰骨上方。
⑨將安眠型遮頭護罩確實的扣在肩部安全揹帶固定扣上。

〈新生兒保護墊的角度〉

・請讓寶寶的臉面向上方的位置最為適當。






⚠警告

・確認使用狀態。
若未正確使用，恐有導致寶寶摔落、發生意外事故之虞。

⚠警告



・使用時，請隨時注意寶寶的狀態。
呼吸道若阻塞，恐有窒息之虞。

橫向式懷抱使用時

・使用橫向式懷抱時，使用者請以左手支撐住寶寶的頭部，避免寶寶頭部下墜。



⚠警告

・使用橫向式懷抱時，請使用者務必以左手支撐寶寶的頭部。
因恐寶寶有摔落或其他意外事故發生之虞。



・請勿以跑、跳、彎腰或其他不合理的姿勢使用本產品。
因恐寶寶有摔落或其他意外事故發生之虞。

橫向式懷抱的放下方式


❶讓寶寶平躺在安全的場所，解開連接式安全扣。




⚠警告

・放下寶寶時，請務必在安全的場所進行。
若在不穩定等場所，恐有導致寶寶摔落之虞。

❷將左右肩安全帶從使用者的肩膀取下。
❸解開腰部安全扣。




❹解開腹部安全扣。
❺抱起寶寶。




新生兒保護墊的取出方式

（接續下頁）


❶解開足部連接用安全扣。
❷將新生兒保護墊的足部部位對折，使得足部背面側在外。
❸解開右肩安全扣，從足部安裝帶通過孔位抽出。



❹解開頭部連接用安全扣。
❺將新生兒保護墊的頭部部位對折，使得頭部背面側在外。
❻解開左肩安全扣，從頭部安裝帶通過孔位抽出。




❼解開安裝帶的固定扣。
❽取下新生兒保護墊。
❾以避免左右肩部安全扣折到的方式扣上。



新生兒保護墊的取出方式

⑩將新生兒保護墊的頭部連接用安全扣及足部連接用安全扣扣上，收納於寶寶無法接觸的地方保管。

※若需再以橫向式懷抱安裝時，請先將頭部連接用安全扣及足部連接用安全扣解開，再進行組裝。



⚠警告

・儘管不使用新生兒保護墊時，仍請將頭部連接用安全扣及足部連接用安全扣扣上。
因恐手指不慎伸入扣環中而導致夾傷或其他意外事故發生之虞。



懷抱型雙重束護帶的使用方法


❶解開懷抱型雙重束護帶的安全扣。


❷將寶寶放上，扣上懷抱型雙重束護帶的安全扣。

❸調整懷抱型雙重束護帶安全扣織帶的長度。

建 議

○配合寶寶的成長，將懷抱型雙重束護帶安全扣由手臂上方或手臂下方扣上。






⚠警告


・將寶寶放入揹巾時，請務必在安全的場所進行。若在不穩定等場所，恐有導致寶寶摔落之虞。
・請務必讓寶寶乘坐於懷抱型雙重束護帶內。若未正確使用，恐有導致寶寶摔落、發生意外事故之虞。

直立式懷抱的準備

建 議

○將連接式安全帶向上移動後，之後在20頁⓫頸部後方扣上連接式安全扣就比較容易。






直立式懷抱的使用方法


（接續下頁）


❶將腰部安全扣穿過鬆緊帶，扣上。

❷調整腰部安全帶。
❸用鬆緊帶收整多出來的安全帶。
❹轉動揹巾，讓揹巾在使用者前方。











直立式懷抱的使用方法

❺將揹巾本體攤平在膝蓋上方。
❻將懷抱型雙重束護帶向上提。

❼將寶寶抱起，並且讓寶寶跨坐於懷抱型雙重束護帶與揹巾中間。

❽一手扶住寶寶，另一手將揹巾向上提靠近寶寶背部。








⚠警告

- 穿戴揹巾時請降低身體進行，若身體前傾時請以手扶住寶寶，避免寶寶跌落的危險。請注意當使用者彎腰或屈膝的姿勢時，因恐寶寶的頭部朝下，恐有導致寶寶摔落之虞。
- 安裝及拆卸本產品時，請注意寶寶可能由開口處跌落的危險。恐有導致寶寶摔落、發生意外事故之虞。
- 讓寶寶使用本產品時請務必於安全的場所進行。於不穩定的場所進行，寶寶恐有跌落的危險。
- 當寶寶身體捲曲、雙腿未伸出揹巾外或以不自然的姿勢使用時。恐有導致寶寶摔落、受傷之虞。

❾一手扶住寶寶後將兩側的懷抱型雙重束護帶安全扣扣上。



⚠警告

・請務必將懷抱型雙重束護帶安全扣扣上。因恐導致寶寶摔落等意外發生之虞。

❿一手扶住寶寶，另一手將左右兩側的肩部安全揹帶揹上。




建 議

○寶寶的手位在肩部安全揹帶外側或內側均無妨。
伸出外側時，若寶寶後仰，請將寶寶手臂置於肩部安全揹帶內側。



⓫扣上頸部背後的連接式安全安全扣，調節連接式安全帶。





⚠警告

・請避免寶寶與使用者間的空間過緊，安裝時請保有讓寶寶頭部足夠的活動空間，因恐有窒息之虞。
・請注意避免嬰幼兒的臉部緊貼使用者的胸部，若嬰幼兒的呼吸道阻塞，恐有窒息之虞。
・使用本產品時請注意寶寶的狀態。確保寶寶的呼吸道順暢。因恐有窒息或其他意外事故發生之虞。

直立式懷抱的使用方法

⓬調整左右兩側的肩部安全帶，讓寶寶與使用者間的距離保留約一個拳頭的空間。
⓭用鬆緊帶收整多餘的肩部安全帶。






建 議

・若肩部或腰部感覺到負擔的話，請重新調節肩部安全帶以及腰部安全帶。

⓮請面對鏡子確認懷抱姿勢。
※若使用姿勢不對，請重新安裝、調節。

直立式懷抱的確認

①寶寶的頭部不可妨礙使用者的視野。
②寶寶的兩臂伸出。
③請調整懷抱型雙重束護帶。
④寶寶的雙腳已伸出外側。
⑤連接式安全扣確實地扣上。
⑥調節連接式安全帶。
⑦肩部安全扣確實地扣上。
⑧調節肩部安全帶。
⑨腰部安全扣確實地扣上。
⑩調節腰部安全帶。



⚠警告


・請照鏡子，確認使用姿勢。
若未正確使用，寶寶恐有摔落、引發意外事故之虞。

月齡較小時

・寶寶在月齡還小時，將腰部安全帶固定於較高位置，將可更加穩定。



・在寶寶的屁股下墊毛巾，調整高度。




安眠型遮頭護罩

・當寶寶睡覺時使用，可讓寶寶頭頸更穩定。
・兼具有防風以及遮陽功能。


〈調節方法〉

●請配合寶寶的成長，調整為〈A〉較淺、〈B〉較深其中一種。

〈A〉



〈B〉




警告

・使用安眠型遮頭護罩之際，請特別注意寶寶的狀態。
因恐不慎掩住口鼻而導致寶寶窒息等危險。

〈不使用時〉

●將固定扣位置往下，將安眠型遮頭護罩對折。



注意


・若睡覺的寶寶身體會往後傾倒的情況，請停止使用。

後揹式的使用方法

❶將腰部安全扣與連接式安全扣解開。
❷將寶寶放上，扣上懷抱型雙重束護帶的安全扣，並調節安全帶的鬆緊。

建 議


○配合寶寶的成長，將懷抱型雙重束護帶安全扣由手臂上方或手臂下方扣上。
○使用後揹式時，使用懷抱型雙重束護帶，將可以使寶寶乘坐得更安心。



⚠警告

・放上寶寶時，請務必在安全的場所進行。尤其是後揹還不會自行坐起的寶寶時，如果能請他人協助將更為安全。
若在不穩定之類的場所，寶寶恐有摔落之虞。
・請務必將懷抱型雙重束護帶安全扣扣上。因恐導致寶寶摔落等意外發生之虞。


❸揹上左右肩安全揹帶。




⚠警告

・使用時，請隨時注意寶寶的狀態。
呼吸道若阻塞，恐有窒息之虞。
・當寶寶身體捲曲、雙腿未伸出揹巾外或以不自然的姿勢使用時。恐有導致寶寶摔落、受傷之虞。

❹在身體前彎的姿勢下，將腰部安全扣穿過鬆緊帶，扣上。






將腰部安全帶前端伸出至鬆緊帶上方


⚠注意


・注意不要將寶寶的腳夾在腰部安全帶與使用者之間。

❺將寶寶的屁股位置調整至比腰部安全帶高的位置。
（調整左右肩部安全帶，降低腰部安全帶位置。）





❻調節腰部安全帶。
❼用鬆緊帶收整多餘的安全帶。
❽扣上連接式安全扣，並且調節連接式安全帶。





❾調節左右兩側肩部安全帶。
❿用鬆緊帶收整安全帶。





建 議

○讓寶寶位在使用者腰部穩定的位置。

建 議


○對肩膀或腰部造成負擔時，請重新調節肩部安全帶及腰部安全帶。

後揹式的使用方法

⓫請照鏡子，確認使用姿勢。
※若姿勢不正確時，請重新安裝及調節。

後揹式的確認

①寶寶的兩臂伸出。
②寶寶的雙腳已伸出外側。
③連接式安全扣確實地扣上。
④調節連接式安全帶。
⑤請調節懷抱型雙重束護帶。
⑥肩部安全扣確實地扣上。
⑦調節肩部安全帶。
⑧腰部安全扣確實地扣上。
⑨調節腰部安全帶。




警告
・請照鏡子，確認使用姿勢。
・當寶寶身體捲曲、雙腿未伸出揹巾外或以不自然的姿勢使用時。恐有導致寶寶摔落、受傷之虞。
若未正確使用，寶寶恐有摔落、引發意外事故之虞。

注意
・使用者若感覺疼痛或不適時，請停止使用。尤其是哺乳期的母親，恐有壓迫乳房之虞。

從直立式懷抱切換後揹式


❶直立式懷抱的狀態下，解開連接式安全扣。





❷脫下左右肩部安全揹帶，並一手握住肩部安全揹帶，一手扶著寶寶。

❸確實地握住肩部安全揹帶，採取前彎姿勢，撐住寶寶，轉至背後。

❹揹上左右肩部安全揹帶。







警告


・直立式懷抱切換成後揹式時，請務必在安全的場所進行，如果能請他人協助將更為安全。
若在不穩定之類的場所，寶寶恐有摔落之虞。


警告

・確保寶寶的雙腿都已伸出揹巾外。
若寶寶雙腿未伸出，因恐寶寶有摔落或其他意外事故發生之虞。
・使用時，請隨時注意寶寶的狀態。
呼吸道若阻塞，恐有窒息之虞。


從直立式懷抱切換後揹式


❺扣上連接式安全扣，並調節連接式安全帶。





❻調整左右肩安全帶。
❼用鬆緊帶收整多餘的安全帶。





建 議

○對肩膀或腰部造成負擔時，請重新調節肩部安全帶及腰部安全帶。

❽請面對鏡子確認姿勢。若完成的狀態不正確時，請重新安裝並且重新調節。(請參閱P25)



⚠警告

・使用時，請隨時注意寶寶的狀態。
呼吸道若阻塞，恐有窒息之虞。
・當寶寶身體捲曲、雙腿未伸出揹巾外或以不自然的姿勢使用時。恐有導致寶寶摔落、受傷之虞。


安眠型遮頭護罩

・當寶寶睡覺時使用，可讓寶寶頭頸更穩定。
・兼具有防風以及遮陽功能。


〈調節方法〉

●請配合寶寶的成長，調整為〈A〉較淺、〈B〉較深其中一種。

〈A〉



〈B〉






建 議

・請面對鏡子確認姿勢。若完成的狀態不正確時，請重新安裝並且重新調整。

〈不使用時〉

●將固定扣位置往下，將安眠型遮頭護罩對折。



⚠警告

・使用安眠型遮頭護罩之際，請特別注意寶寶的狀態。
因恐不慎掩住口鼻而導致寶寶窒息等危險。

⚠注意


・若睡覺的寶寶身體會發生往後傾倒的情況時，請停止使用。

月齡較小時

・寶寶在月齡還小時，將腰部安全帶固定於較高位置，將可更加穩定。




・在寶寶的屁股下墊毛巾，調整高度。





如何從後揹式放下

❶解開連接式安全扣。
❷將寶寶慢慢地放下來。
❸脫下肩部安全揹帶。



❹將寶寶放下，解開腰部安全帶。
❺解開懷抱型雙重束護帶的安全扣。





建 議

・若在沒有椅子的狀態下，請從後揹式回到直立式懷抱狀態，（參考P27❺→P26❹→❸→❷），請在安全場所將寶寶放下。


警告

・放下寶寶時，請務必在安全之場所進行。如果能請他人協助將更為安全。
若在不穩定之類的場所，寶寶恐有摔落之虞。

前向式懷抱的使用方法


（接續下頁）

❶取下安眠型遮頭護罩。（參閱P22）
❷參考P18「直立式懷抱的使用方法❶～❸」，固定腰部安全帶。



❸調節肩部安全帶的長度。


〈拉長時〉



建 議

○若調長肩部安全帶的長度，會更容易將寶寶抱入揹巾內。

❹將寶寶抱入揹巾的懷抱型雙重束護帶中，寶寶的臉是面向前方。
❺一手扶住寶寶同時調整懷抱型雙重束護帶安全帶鬆緊。



⚠警告


- 當寶寶身體捲曲、雙腿未伸出揹巾外或以不自然的姿勢使用時，恐有導致寶寶摔落、受傷之虞。
- 放上寶寶時，請務必在安全的場所進行。若在不穩定之類的場所，寶寶恐有摔落之虞。
- 請務必將懷抱型雙重束護帶安全扣扣上。因恐導致寶寶摔落等意外發生之虞。

前向式懷抱的使用方法

❻一手扶住寶寶，另一手將左右肩安全揹帶揹在雙肩。



❼將連接式安全扣扣在頸部後側，調節連接式安全帶。



❽調節肩部安全帶。
❾用鬆緊帶收整多出來的安全帶。



建 議

・寶寶的手臂可以放在肩帶內側或者外側。寶寶手臂在外側時，若寶寶的身體容易向前傾，請將寶寶的手放回內側。


建 議

・對肩膀或腰部造成負擔時，請重新調整肩部安全帶及腰部安全帶。
・使用前向式懷抱時，請以30分鐘左右為概略標準。

⑩請照鏡子，確認使用姿勢。
※若姿勢不正確時，請重新安裝及調整。

前向式懷抱的確認

①寶寶的頭部不可妨礙使用者的視野。
②寶寶的兩臂伸出。
③寶寶的雙腳已伸出。
④寶寶的腳可以自由地彎曲。
⑤連接式安全扣確實地扣上。
⑥調節連接式安全帶。
⑦懷抱型雙重束護帶安全扣確實地扣上並調整安全帶。
⑧肩部安全扣確實地扣上。
⑨調節肩部安全帶。
⑩腰部安全扣確實地扣上。
⑪調節腰部安全帶。



⚠警告
・請照鏡子，確認使用姿勢。
若未正確使用，寶寶恐有摔落、引發意外事故之虞。

如何從前向式懷抱放下

❶一手扶住寶寶，坐在安全的場所，解開連接式安全扣，取下肩部安全揹帶。
❷解開懷抱型雙重束護帶安全扣。
❸將寶寶慢慢地放下來。




⚠警告
・放下寶寶時，請務必在安全的場所進行。
若在不穩定之類的場所，寶寶恐有摔落之虞。


腰抱式的使用方法（右側腰抱或左側腰抱均可，說明書以右側腰抱為例說明。）


❶取下安眠型遮頭護罩。（參閱P22）
❷參閱P18「直立式懷抱的使用方法❶～❸」，固定腰部安全帶。
❸解開左右的肩部安全扣。

❹將右側肩部安全扣穿過左側肩部安全扣的鬆緊帶，扣上安全扣。


❺穿過右臂與頭，斜斜地揹上肩部安全揹帶。
❻將腰部安全帶繞至右側。









❼將寶寶抱起，置放在揹帶內。




❽將右側肩部安全揹帶繞至腰部。




❾自腰部的肩部安全揹帶由左側取出。
❿將肩部調節安全扣穿過鬆緊帶，扣上安全扣。






腰抱式的使用方法

⓫調整肩部安全帶。
⓬用鬆緊帶收整多出來的安全帶。
⓭調整寶寶的位置。






建 議

・對肩膀或腰部造成負擔時，請重新調整肩部安全帶及腰部安全帶。

⓮請照鏡子，確認使用姿勢。
※若姿勢不正確時，請重新安裝及調整。

腰抱式的確認

①寶寶的雙腳已伸出。
②肩部調節安全扣確實地扣上。
③調節肩部安全帶。
④腰部安全扣確實地扣上。
⑤調節腰部安全帶。





・使用時，請用手支撐寶寶。

警告
・當寶寶身體捲曲、雙腿未伸出揹巾外或以不自然的姿勢使用時。恐有導致寶寶摔落、受傷之虞。
・請照鏡子，確認使用姿勢。若未正確使用，寶寶恐有摔落、引發意外事故之虞。


揹巾的收納方法


❶扣上肩部安全扣。（左右）
❷扣上連接式安全扣。
❸解開腰部安全扣，並且打開揹巾。
❹左右兩側的肩部安全揹帶往內重疊摺起，並向圖示方向捲收。






❺從腰部安全帶抽出收納織帶。
❻捲起收納織帶，扣上固定扣。






❼扣上腰部安全扣，調整腰部安全帶。



在❻的狀態下，亦可直接使用腰部安全帶繫在身上。



Q&A

Q 懷抱型雙重束護帶應該固定在寶寶手臂上方嗎？或是應該固定在手臂下方呢？

A 配合寶寶的成長，兩種方式均可使用。
以概略標準而言，對於還不會坐起的寶寶，請將懷抱型雙重束護帶的安全扣，固定在手臂上方，能獨立坐起的寶寶則請將懷抱型雙重束護帶的安全扣，固定在手臂下方。

Q 直立式懷抱時，感覺身體整個埋在裡面，看不到寶寶的臉，這樣用可以嗎？

A 相對於寶寶的身高，靠背部位若較長時，請在寶寶的屁股下墊毛巾等，以調整寶寶的高度。此外，請讓腰部安全帶位在稍微高一點的腰部一帶（參考P22， P29）

Q 腰部安全帶應該位在哪裡才好呢？

A 一般而言，腰部安全帶位在腰部稍微下方的腰骨一帶，比較能減輕負擔。請配合寶寶的身高，調整至適當的位置。

Q 多餘的安全帶長長的垂下來，感覺不太好。

A 可用鬆緊帶收整安全帶（參考P9，P10，P13）

Q 直立式懷抱時，寶寶的肩膀露到外面，有沒有關係呢？

A 寶寶的手臂即使露在外面，使用上也沒有問題。但是因為寶寶的上半身不穩定，尤其是還不會坐起的寶寶，所以請用手支撐寶寶。

Q 揹巾的布料和寶寶的肌膚接觸的部分，有時候會紅紅的…。

A 寶寶的肌膚留下揹帶的痕跡或是肌膚因為摩擦而發紅時，請穿上能夠覆蓋肌膚露出部位的衣服或者是在露出部位墊上毛巾等，避免與揹巾直接接觸。

檢查事宜 Final checks

・使用之前，請確認安全扣等部件是否有破損，安全帶及布料等是否有破損及綻開、裂痕等情況。在異常狀態下使用，恐有發生意外事故之虞。
・Before use, please check whether the fixed buckle and other accessories like seat belts or clothes are broken, open or cracked. If used under abnormal circumstances, accidents may occur.

保養事宜 Maintenance

〈輕度的髒污 Slightly dirty〉

・請用沾濕的布拍打，去除髒污。Please, use a wet cloth to wipe and remove the dirt.

〈洗滌方式 Washing〉

主體･新生兒保護墊 ･Main body･Baby protection cushion



※建議放入洗衣袋中，洗衣機水溫設定40度以下，並以低速弱洗程序清洗。
※Water temperature of under 40 degree is recommended. Also, use low speed water flow to clean it.

⚠注意 Caution

○主體及新生兒保護墊，請勿使用烘乾機。Please do not use a dryer-machine to dry the Main body and the Baby protection cushion.
○請和其他衣物分開清洗。恐有褪色而染到其他衣物之虞。Do not wash together with other clothes. There is a risk that the colors fade out and soil the other clothes.
○不可使用含螢光劑之清潔劑。Do not use detergents containing fluorescent agents.
○不可使用漂白劑。Bleach cannot be used.
○請勿浸泡。Please, do not soak it.
○請勿在濡濕的狀態置之不理。恐有發霉之虞。Please be aware of the humidity. There could be a risk of it going mouldy.
○洗滌後，請充分乾燥之後再使用。乾燥不充分時，恐有發霉之虞。After cleaning, please dry it completely before using it again. If it is not completely dry, it may go mouldy.


Aprica

Three-directional waist belt, five-in-one baby sling

Colanhug AB

User Manual

Up to 15kg behind neck stabilization. Sling for use with a single baby only.



※User's waist measurement should be within 74cm - 118cm.
※Because of differences in body shape and the wearing of thick clothes in winter time, you might not be able to use this product.

Before using, please carefully read this user manual for correct usage instructions.
Please do not use this product in a different way from that which is instructed in this manual. You will not only be unable to use this product's functions, it is also very dangerous. After using, please carefully retain this manual.

When Colanhug Main body is combined with the Baby protection cushion, the new born baby can use it.

Contents

Before use
About this Baby sling 1
About the symbols used in this manual 1
Using the product 1
Safety precautions 2
Precautions for use ..... 3~4
Removing the product ..... 5~6
Use of the safety buckle 7
Methods for adjusting the different parts 7
Horizontal Carrying 〈for newborns up to 7kg〉
Preparing for horizontal carrying ..... 8~11
Horizontal carrying use method ..... 12~14
Using Horizontal carrying mode 15
Horizontal carrying put down method 15
Vertical Carrying 〈up to 13 kg after neck stabilization〉
Removing baby protection cushion ..... 16~17
Dual protecting harness 17
Preparing for vertical carrying 18
Vertical carrying method ..... 18~21
When the baby is a few months 22
Sleep-inducing head protection cover 22
Back Carrying 〈up to 15kg after neck stabilization〉
Back carrying method ..... 23~25
Change from vertical carrying to back carrying ..... 25~27
Sleep-inducing head protection cover 28
When the baby is a few months 29
How to put the baby down from the back carrying 29
Front Carrying 〈can seat independently up to 13 kg〉
Front carrying method ..... 30~32
How to put the baby down from front carrying embrace .. 32
Waist Carrying 〈can independently seat up to 15 kg〉
Waist carrying method ..... 33~35
Others
Baby sling store method 36
Q&A ..... 37~38
Final checks 39

About this baby sling

・This product is designed for embracing or carrying a baby during outdoor activities. It is for 1 person use. Before use, please first understand "the names of each part" in P5.

About the symbols in this manual

・[WARNING], [CAUTION] and [PROHIBITED] symbols indicate the degree of damage you might be exposed to, in case you do not follow these warnings. The meaning of the symbols is extremely important, please be sure to follow them carefully.

Symbol	Content of the symbol
⚠ Warning	Situations that might provoke death or serious injury to the user due to incorrect use.
⚠ Caution	Situations that might provoke injury or malfunction of the product due to incorrect use.

Symbol	Content of the symbol
⃠	Please do not perform these prohibited actions.

Using the product

・Reference numbers for age and weight. Please, use this sling according to the actual growing condition of the baby.


Age reference	0months **Cervical stability** (after 4 months) **Waist stability** (after 7 months) After 24 months After 36 months	Weight
Horizontal Carrying	From 2.5kg (up to 4 months)	Less than 7kg
Vertical Carrying	From neck stability (up to 24 months)	Less than 13kg
Back Carrying	From waist stability (up to 24 months)	Less than 13kg
Front Carrying	From waist stability (up to 36 months)	Less than 15kg
Waist Carrying	From neck stability (up to 36 months)	Less than 15kg


※Because of differences in body shape and the wearing of thick clothes in winter time, you might not be able to use this product.

Precautions for safe use


- In Horizontal Carrying, vertical carrying, back carrying, front carrying and waist carrying, please be sure to fasten the safety buckle.
- Please, adjust the length of the product safety belt to the user's body and fasten it.
- When the feet and legs of the baby are exposed, markings might appear on the skin or even become red. Under these circumstances, please make the baby wear clothes that cover the skin or put a towel on the exposed skin to prevent the skin from touching the sling.


Horizontal Carrying







Vertical Carrying







Back Carrying






Front Carrying





Waist Carrying





Warning

- Please, do not use the product when the shoulder adjustable safety buckle, the waist safety buckle and the adjustable safety buckle are unfastened. There may be a risk of the baby falling out or injury to the baby.
- Please, adjust the length of the product safety belt to the user's body and fasten it. If the space between the baby and the user is large, you might not be able to cope with baby's unexpected movements. There is a risk of accident, the baby falling down or becoming hurt.
- Must use dual protecting harness in vertical carrying, back carrying, front carrying and waist carrying method, There may be a risk of the baby falling out or injury to the baby.

Precautions for use

・The content described herein is extremely important. Please read it carefully and follow closely.

⚠ Warning Situations that might provoke death or serious injuries to the user due to incorrect manipulation.

Please, do not use the product when the shoulder adjustable safety buckle, the waist safety buckle and the adjustable safety buckle are unfastened.
There may be a risk of the baby falling out or injury to the baby.



Please, be sure to adjust the shoulder safety straps, the waist safety belt and the adjustable safety belt. Under no circumstances can the product be used when it is too loose.
There may be a risk of the baby falling out or injury to the baby.



Please, do not run, jump or bend.
There may be a risk of the baby falling out or injury to the baby.




It cannot be used with babies that have not developed a mature neck.
There is a risk of harming the baby's health.



When using vertical carrying, back carrying and front carrying, please note that baby curling their bodies or placing their feet unnaturally.
There may be a risk of the baby falling out or injury to the baby.



Please do not use this product within 30 minutes after feeding the baby. There will be pressure on the baby's stomach which may affect digestion and absorption. Make sure the installation is secure, please do not use this product continuously for more than 2 hours. There may be a risk of damage to the health of the baby and wearer.



⚠ Warning

Situations that might provoke death or serious injury to the user due to incorrect use.

- Please ensure that the baby protection cushion is installed when using horizontal carry position. There may be a risk of the baby falling out or injury to the baby.
- When baby is over 7kg or baby can roll over do not use the Horizontal carrying method. There may be a risk of the baby falling out or injury to the baby.
- When baby is over 13kg do not use the Vertical carrying and Front-facing carrying method. There may be a risk of the baby falling out or injury to the baby.
- When baby is over 15kg do not use the Back carrying and Waist carrying method. There may be a risk of the baby falling out or injury to the baby.
- Please stop using the product if the user feels pain or uncomfortable in use.
- Please pay attention to the baby's conditions when using this product. There may be a risk of suffocation or other unforeseen accidents.
- Must using holding harness when in use.There may be a risk of the baby falling out or injury to the baby.
- Carry the baby or putting down the baby at a safe place. There may be a risk of the baby falling out and other dangers if it is carried out at an unsafe place.
- Keep the packaging material and storage bag out of reach of the child. They pose suffocation risk to the child if they cover the child's nose and mouth accidentally.
- For infants younger than 4 months old, please do not allow the infant's face to be tightly pressed against the carer's body. There may be a risk of the infant suffocating in this product.
- Do not bind the body of the infant and carer too tightly together. During installation, leave some room for the infant's head movement. There may be a risk of the infant suffocating in this product.
- When carry the baby or putting down the baby, please take note that it is installed properly to prevent the baby from falling out.
- Please keep a low posture when switching to piggyback or other carrying positions and when unloading the baby. When the baby's body is tilted, support the baby with your hand and be careful not to let the baby fall out. Also, please take note that the baby's head is not pointing downward. You may bend your knees to lower your waist while performing these. There may be a risk of the baby falling out.
- Please pay attention to the baby's conditions when using this product. Make sure that the baby's airway is not blocked. There may be a risk of suffocation or other unforeseen accidents.
- Do not block the baby's airway by pressing the baby's face tightly against the wearer's chest. There may be a risk of suffocation if the airway is blocked.
- Please pay attention to the baby's conditions while performing household chores or cooking. There may be a risk of the baby getting scalded or other unforeseen accidents due to distraction from household chores.


⚠ Warning

Situations that might provoke death or serious injury to the user due to incorrect use.


Please ensure that the baby protection cushion is installed when using horizontal carry position. There may be a risk of the baby falling out or injury to the baby.




It cannot be used after the stitched front end of the safety belt has been torn or cut.
There may be a risk of the baby falling out or injury to the baby.



It cannot be used when the fixed buckle, safety belt, clothes and others are broken, torn or damaged. There may be a risk of the baby falling out or injury to the baby.



It cannot be used in airplanes, cars, bikes and motorcycles.



Please hold the baby both hand when using horizontal carry position. There may be a risk of the baby falling out or injury to the baby.



⚠ Warning

Situations that might provoke death or serious injury to the user due to incorrect use.

Please stop using the product if the user feels pain or uncomfortable in use.

When the safety buckle is not being used, please do not keep it opened.



When in the vertical carrying position it is difficult to see the feet, so please be careful when you are walking.



Please, do not place it near heaters or other high temperature places.



Please, do not store it in places where it can be exposed to direct sunlight. It could lead to faster discoloration and deterioration.




Please, do not use it for other purposes different from carrying your baby, such as for transporting items.



Removing the product


・Please check every part of the product when removing it.
・If any part is missing or faulty or is broken, please contact your local dealer or head office.

〈Names of each part〉 ■ Baby sling (Main body)




※Product model and serial number are described on the quality symbol tag.
The label location is in the inner side of waist safety belt.

〈Baby protection cushion〉



〈Inner side〉



〈Rear side〉

〈Accessories〉




User manual

Use of the safety buckle

〈Waist safety buckle･Shoulder adjustable safety buckle〉


How to buckle up

❶Pass the waist buckle through the elastic band and buckle up.
❷Pull the front end of the safety buckle over the elastic band.




How to remove

❶Pass the front end of the waist safety buckle through the elastic band.
❷Open the waist buckle and pull it out from the elastic band.




〈Adjustable safety buckle〉

How to buckle up



How to remove




Adjustment of all accessories

Warning


・Please, adjust the length of the product safety belt to the user's body and fasten it. If the space between the baby and the user is big, and the length of the left and right safety straps are different, you might not be able to cope with the baby's unexpected movements, thus being at risk of accident, the baby falling down or becoming hurt.

〈Shoulder safety straps〉

How to shorten




How to lengthen




〈Waist safety belt〉

How to shorten




How to lengthen




〈Adjustable safety belt〉

How to shorten



How to lengthen




Preparing for horizontal carrying


(continue)

❶Open the baby sling in a safe place.
❷Move the adjustable safety belt upwards.

〈Inner side〉




❸Put the baby protection cushion (head facing to the left) laterally on the baby sling.



Warning


・Do not use it when opening the fixed buckle of the safety belt. The baby could fall down.


❹Fasten the fixed buckle of the safety belt on the fixed buckle of the waist safety belt inner side.
❺Fold the head of the baby protection cushion, so that the head rear side faces outwards.




Preparing for horizontal carrying


❻Pull out the left shoulder safety harness to prevent the left shoulder fixed buckle from folding. Pass it through the head band and fasten it to the head linking fixed buckle.
❼Pass the head linking fixed buckle through the elastic band and fasten it to the left shoulder fixed buckle, pull out the left shoulder safety harness.







❽Use the elastic band to roll up the remaining part of the left shoulder safety harness.
❾Restore the baby protection cushion to flat .








❿Pass the head linking fixed buckle through the elastic band and fasten it to the left shoulder fixed buckle.
⓫Fold the baby protection cushion feet part so that the feet part rear side faces outwards.






Advice

・Shorten the left shoulder safety harness when using in Horizontal Carrying method to make sure the baby protection cushion is lay flat. (see P11)


⓬Pull out the right shoulder safety harness to prevent the left shoulder fixed buckle from folding. Pass it through the feet band and fasten it to the feet linking fixed buckle.

⓭Pull out the right shoulder safety harness through the elastic band.




⓮Use the elastic band to roll up the remaining part of the right shoulder safety harness.

⓯Restore the baby protection cushion to flat .



⓰Pass the feet linking fixed buckle through the elastic band and fasten it to the right shoulder fixed buckle.



Advice


- Shorten the right shoulder safety harness when using in Horizontal Carrying method to make sure the baby protection cushion is lay flat. (see P11)

Preparing for horizontal carrying

⓱Please check the safety conditions of the baby protection cushion. If it is incorrect, please fix it and adjust it again.

Horizontal carrying preparation (installing baby protection cushion) security check

①Fasten the Safety belt buckle on the waist safety belt of the baby sling.
②Pass the left shoulder safety belt, non-folded, through the head safety belt hole.
③Pass the right shoulder safety belt, non-folded, through the feet safety belt hole.
④Adjust the right-left shoulder safety belt .
⑤Pass the head link fixed buckle through the elastic band and fasten it.
⑥Pass the feet link fixed buckle through the elastic band and fasten it.
⑦Pass the right-left safety belt front ends over the elastic bands.
⑧Pass the remaining abdominal safety belt front end through the fixed ring.
⑨Fasten the Sleep-inducing head protection Fixed buckle.




Warning

○Please inspect yourself at a mirror to correct the using position.
It could lead to a baby falling down or the risk of an accident, if it is used incorrectly.


Horizontal carrying method


❶Open the abdominal fixed buckle.



Abdominal fixed buckle

❷In a secure place, put the baby in the sling and place his left foot into the ring.
❸Fasten the abdominal fixed buckle. Adjust the abdominal safety belt.







Pass the abdominal safety belt front end through the fixed ring

Fixed ring

Abdominal fixed buckle

❹Pass the waist safety buckle through the elastic band.
❺Fasten the waist safety buckle.





Extend the remaining part of the waist safety belt front end over the elastic band

Warning


・When putting the baby in the sling, be sure you are in a safe position.
If you are in an unstable position, the baby could fall down.


Advice

・On the baby's abdominal belt, adjust the abdominal safety belt so that it accomodate a width of 2 or 3 adult fingers.


Horizontal carrying method


❻Adjust the waist safety belt higher that the position of the waist bone.
❼Use the elastic band to roll up the remaining part of the safety belt.







❽Before bending, pass the arms through the left and right shoulder safety straps.
❾Fasten the linking fixed buckle on the back of your neck.





⓫Holding the baby's head with your hand, adjust the left and right shoulder safety harnesses and adjust baby's position.
⓬Use the elastic band to roll up the remaining part of the left and right shoulder safety harness.





Advice

- Please, adjust again the waist safety belt when feeling pressure on the shoulders or waist.

⓭Please, inspect yourself in a mirror to check if the horizontal carrying position is correct.If it is incorrect, please fix it and adjust it again.

Reasons for the horizontal carrying security check

〈Baby〉


①Fasten securely the abdominal fixed buckle.
②Adjust the abdominal safety belt so that it accomodates a width of 2 or 3 adult fingers.
③Pass the remaining abdominal safety belt front end through the fixed ring.


〈User〉

④Fasten securely the linking fixed buckle.
⑤Adjust the linking belt.
⑥Adjust the shoulder safety belt.。
⑦Fasten securely the waist safety belt.
⑧The waist safety belt is placed above the waist bone.
⑨Fasten the Sleep-inducing head protection Fixed buckle.

〈Baby protection cushion angle〉

・Please keep the baby's face up.






Warning

・Please inspect yourself at a mirror to correct the using position.
It could lead to a baby falling down or the risk of an accident, if it is used incorrectly.

Warning



・Please pay attention to the baby's conditions when using this product. Make sure that the baby's airway is not blocked. There may be a risk of suffocation or other unforeseen accidents.

Horizontal carrying method

・Please hold the baby both hand when using horizontal carry position. Avoiding baby's head fall down.



⚠Warning


Please hold the baby both hand when using horizontal carry position.
There may be a risk of the baby falling out or injury to the baby.




Please, do not run, jump or bend.
The baby could fall down and become hurt.


Horizontal carrying put down method

❶Let the baby lie down in a safe position. Open the linking fixed buckle.





❷Remove the left and right shoulder safety straps from the users's shoulders.
❸Open the waist safety buckle.





❹Open the abdominal fixed buckle.
❺Put the baby down.






⚠Warning

・When putting the baby down, be sure you are in a safe place.
If you are in an unstable position, the baby could fall down.


Removing the baby protection cushion

(continue)


❶Open the fixed buckle for the foot link.
❷Fold the baby protection cushion feet part so that the feet part rear side faces outwards.
❸Open the right shoulder fixed buckle and pull it out from the hole of the feet safety buckle.



❹Open the fixed buckle for head link.
❺Fold the baby protection cushion head part so that the head part rear side faces outwards.
❻Open the left shoulder fixed buckle and pull it out from the hole of the head safety buckle.




❼Open safety belt fixed buckle.
❽Remove the baby protection cushion.
❾Prevent the left and right shoulder fixed buckle from fastening in a folded way.



Removing the baby protection cushion

⑩Fasten Buckle for head link and Buckle for foot link on baby protection cushion, storage out of reach of the child.
※Unfasten Buckle for head link and Buckle for foot link on baby protection cushion before install in baby sling.



⚠Warning


・When the safety buckle is not being used, please do not keep it opened. There may be a risk of the baby's fingers getting caught into the buckle.



Dual protecting harness


❶Unfasten the fixed buckle of the dual protecting harness.

❷Put the baby in and fasten the fixed buckle of the dual protecting harness.
❸Adjust the fixed belt .



Advice

・Follow the baby's growth and fasten the fixed buckle of dual protecting harness with the upper or lower part of your arms.



⚠Warning


・When putting the baby down, be sure you are in a safe place. If you are in an unstable position, the baby could fall down.
・Must sit baby in the dual protecting harness. There may be a risk of the baby falling out or injury to the baby.

Preparing for v ertical carrying

❶Open the waist safety buckle and the adjustable safety buckle.
❷Unfasten the fixed buckle of the dual protecting harness.
❸Move the adjustable safety belt upwards.

Advice


- After moving the adjustable safety belt upwards, it is easier to perform the following step⓫ in page 20 of fastening the adjustable safety belt at the back of your neck.




Vertical Carrying method

(continue)


❶Pass the waist safety buckle through the elastic band and fasten it to the adjustable waist safety belt.






Extend the remaining part of the waist safety belt front end over the elastic band.

❷Adjust the waist safety belt.
❸Use the elastic band to roll up the remaining part of the safety belt.
❹Turn the sling and put it on user's front part.







Vertical Carrying method

❺Open and flat the sling on your knee.
❻Lift up the dual protecting harness close to your chest.

❼Embrace the baby and let baby sit between on the dual protecting harness and sling.

❽Use one hand to hold the baby and another hand lift up the sling close to baby's back.








⚠Warning

- Please keep a low posture when using sling. When user's body is tilted, support the baby with your hand and be careful not to let the baby fall out. Also, please take note that the baby's head is not pointing downward. You may bend your knees to lower your waist while performing these. There may be a risk of the baby falling out.
- When carry the baby or putting down the baby, please take note that it is installed properly to prevent the baby from falling out. There may be a risk of the baby falling out or injury to the baby.
- Carry the baby or putting down the baby at a safe place. There may be a risk of the baby falling out and other dangers if it is carried out at an unsafe place.
- Please note that baby curling their bodies or placing their feet unnaturally. There may be a risk of the baby falling out or injury to the baby.


❾Hold the baby and fasten the dual protecting harness fixed buckle left and right side.



❿Hold the baby and put the right and left shoulder safety harness on the shoulder.



⓫Fasten the adjustable safety buckle on the back of your neck, adjust the adjustable safety belt.



Warning

- Must make sure to fasten Dual protecting harness fixted buckle.
  There may be a risk of the baby falling out or injury to the baby.

Advice

- There is no harm in having the baby's hand position on the outer or inner side of the shoulder safety straps.
  When extending to the outer side, if the baby holds back, put the baby's arms on the inner side of the shoulder safety straps.





Warning

- Do not bind the body of the infant and carer too tightly together. During installation, leave some room for the infant's head movement. There may be a risk of the infant suffocating in this product.
- Do not block the baby's airway by pressing the baby's face tightly against the wearer's chest. There may be a risk of suffocation if the airway is blocked.
- Please pay attention to the baby's conditions when using this product. Make sure that the baby's airway is not blocked. There may be a risk of suffocation or other unforeseen accidents.

Vertical Carrying method

⓬Adjust the left and right shoulder safety straps and adjust baby's position.
⓭Use the elastic band to roll up the safety belt.






Advice

- Please, adjust again the waist safety belt and shoulder safety belt when feeling pressure on the shoulders or waist.

⓮Please, inspect yourself in a mirror to check the correct position.
※If it is incorrect, please fix it and adjust it again.

Preparation for vertical carrying

①The head of the baby cannot impede the user's vision.
②Extend baby's arms.
③Adjust the Dual protecting harness.
④Make sure the baby's legs out of sling.
⑤Fasten securely the adjustable safety buckle.
⑥Adjust the adjustable safety belt.
⑦Fasten securely the shoulder adjustable safety buckle.
⑧Adjust the shoulder safety straps.
⑨Fasten securely the waist safety buckle.
⑩Adjust the waist safety belt.




Warning


- Please inspect yourself at a mirror to correct the using position.
  It could lead to a baby falling down or the risk of an accident, if it is used incorrectly.

When baby is few months old

・When the baby is few months old, fix the waist safety belt at a higher position to gain more stability.



・Put a towel under baby's bottom to adjust the height.




Sleep-inducing head protection cover

・Using it when the baby is sleeping can help baby's head to be more stable.
・At the same time, it protects the baby from the wind and sun.


〈Adjust method〉

●Follow baby's growth and adjust it to (A) or (B) type.

〈A〉




〈B〉



〈When not using it〉

●Move the fixed buckle downwards and fold the sleep-inducing protection cover.



Warning

・When using the sleep-inducing head protection cover, please check the baby at all times.
It could inadvertently cover baby's mouth or nose and lead him to choke or cause other

Precaution

・If the baby's body tends to fall backwards when sleeping, stop using the product.

Back carrying method


❶Open the waist safety buckle and the adjustable safety buckle.
❷Put the baby in and fasten the fixed buckle of the dual protecting harness.


❸Put the right and left shoulder safety harness on the back.

❹When in a bending position, fasten the waist safety buckle through the elastic band.


Advice

○Follow baby's growth and fasten the fixed buckle of dual protecting harness with the upper or lower part of your arms.
○When using the back carrying, use the dual protecting harness so that the baby can sit more comfortably.









Extend the remaining part of the waist safety belt front end over the elastic band.

⚠ Warning

- When putting the baby down, be sure you are in a safe place; especially for babies that still cannot sit by themselves, when using the back carrying ask for another person's help. It will be safer. If you do it in an unstable position, the baby could fall down.
- Must make sure to fasten Dual protecting harness fixted buckle. There may be a risk of the baby falling out or injury to the baby.


⚠ Warning

- When using it, please check the baby at all times. There is a risk of suffocation if the respiratory tracts are obstructed.
- Please note that baby curling their bodies or placing their feet unnaturally. There may be a risk of the baby falling out or injury to the baby.

⚠ Cation

- Be careful that the baby's feet do not get caught between the user and the waist safety belt.


❺Adjust the position of baby's bottom to a higher position than the waist safety belt. (Adjust left and right shoulder safety straps and lower the position of the waist safety belt.)




Advice


○Allow the baby to sit in a stable position on the user's waist.


❻Adjust waist safety belt.
❼Use the elastic band to roll up the remaining part of the safety belt.
❽Fasten the adjustable safety buckle and then adjust the adjustable safety belt.





❾Adjust both right and left shoulder safety harness.
❿Use the elastic band to roll up the safety belt.





Advice


• Please, adjust again the waist safety belt and shoulder safety belt when feeling pressure on the shoulders or waist.

Back carrying method

⓫Please, inspect yourself in a mirror to check the correct position.
※If it is incorrect, please fix it and adjust it again.

Back carrying security check

①Extend the baby's arms.
②Make sure the baby's legs out of sling.
③Fasten securely the adjustable safety buckle.
④Adjust the adjustable safety belt.
⑤Adjust the Dual protecting harness.
⑥Fasten securely the shoulder adjustable safety buckle.
⑦Adjust the shoulder safety straps.
⑧Fasten securely the waist safety buckle.
⑨Adjust the waist safety belt.




Warning
・Please, inspect yourself at a mirror to check the correct position.
It could lead to a baby falling down or risk of accident, if it is used incorrectly.
・Please note that baby curling their bodies or placing their feet unnaturally. There may be a risk of the baby falling out or injury to the baby.

Caution
・If you experience aching or feel uncomfortable, please stop using it. Especially when breastfeeding, there is risk of breast oppression.

Change from vertical carrying to back carrying

❶In vertical carrying position, open the adjustable safety buckle.




❷Take off the left and right shoulder safety belt, and then, use one hand to grasp the shoulder safety straps and the other one to hold the baby.



Warning

・Please carry out a change of position in a safe position, and it will be even safer if you ask for a third person to help.
If you do it in an unstable position, the baby could fall down.


❸Grasp securely on the shoulder safety straps, adopt a bending position, hold the baby and move him to the back position.



Warning

・When using it, please check the baby at all times.
There is a risk of suffocation if the respiratory tracts are obstructed.
・Please note that baby curling their bodies or placing their feet unnaturally. There may be a risk of the baby falling out or injury to the baby.

❹Put the right and left shoulder safety harness on the back.





Change from vertical carrying to back carrying


❺Fasten the adjustable safety buckle and then adjust the adjustable safety belt.


❻Adjust left and right shoulder safety belt.
❼Use the elastic band to roll up the remaining part of the safety belt.

❽Please, take a look in a mirror to check the position. If the position is not completely correct, please fix it and adjust it again. (See P25)









Advice

- Please, adjust again the waist safety belt and shoulder safety belt when feeling pressure on the shoulders or waist.



⚠Warning

- When using it, please check the baby at all times. There is a risk of suffocation if the respiratory tracts are obstructed.
- Please note that baby curling their bodies or placing their feet unnaturally. There may be a risk of the baby falling out or injury to the baby.


Sleep-inducing head protection cover


・Using it when the baby is sleeping can help baby's head and neck to be more stable.
・At the same time, it protects the baby from the wind and sun.

〈Adjust method〉


●Please follow baby's growth, and adjust it to type (A) or (B)

〈A〉





〈B〉



Advice


・Please, take a look at a mirror to check the position. If the position is not completely correct, please fix it and adjust it again.

Warning

・When using the sleep-inducing head protection cover, please check the baby at all times.
It could inadvertently cover baby's mouth or nose and lead him to choke or cause other hazards.

〈When not using it〉

●Move the fixed buckle downwards and fold the sleep-inducing head protection cover.




Caution


・If the baby's body tends to fall backwards when sleeping, stop using the product.

When baby is a few months old

・When the baby is a few months old, fix the waist safety belt at a higher position to gain more stability.




・Put a towel under baby's bottom to adjust the height.





How to put the baby down from the back carrying

❶Open adjustable safety buckle.
❷Slowly put down the baby.
❸Take off the shoulder safety straps.



❹Put the baby down and open the waist safety belt.
❺Open the fixed buckle of the dual protecting harness.





Advice

・If you do not have a chair, please change the position from back to vertical carrying position (checkP27❺→P26❹→❸→❷).Please, perform this action in a safe place.

Warning

・When putting the baby down, be sure you are in a safe position .It will be even safer if you ask a third person for help.
If you do it in an unstable position, the baby could fall down.


Front Carrying method

(continue)


❶Remove sleep-inducing head protection cover (see P22)
❷Check P18 「Vertical carrying method❶～❸」 to fix the waist safety belt.

❸Adjust the length of the shoulder safety straps.

❹Put the baby in the dual protecting harness. Baby's face will face forward.
❺Use one hand to hold the baby and another hand to adjust fixed belt.




〈How to lengthen〉



Advice

・If you make the shoulder safety straps longer, it is easier to put the baby inside the sling.




Warning


- When using it, please check the baby at all times. There is a risk of suffocation if the respiratory tracts are obstructed.
- Please note that baby curling their bodies or placing their feet unnaturally. There may be a risk of the baby falling out or injury to the baby.
- Must make sure to fasten Dual protecting harness fixted buckle. There may be a risk of the baby falling out or injury to the baby.

Front carrying method


❻Put the left and right shoulder safety straps on your shoulders.



❼Fasten the adjustable safety buckle on the back of your neck, adjust the



❽Adjust the shoulder safety straps.
❾Use the elastic band to roll up the remaining part of the safety belt.



Advice

- Baby's arms can be placed on the inner or outer side of the shoulder straps. When baby's arms are on the outer side and his body moves forward, please put his arms on the inner side.


Advice

- Adjust again the shoulder safety straps and the waist safety belt if feeling too much pressure on the shoulders or waist.
- When using the front carrying, use for a period of 30 minutes as an approximate standard.

⑩Please, inspect yourself in a mirror to check the correct position.
※If it is incorrect, please fix it and adjust it again.

Front carrying security check


①The head of the baby cannot impede the user's vision.
②Extend baby's arms.
③Adjust the Dual protecting harness.
④Make sure the baby's legs out of sling.
⑤Fasten securely the adjustable safety buckle.
⑥Adjust the adjustable safety belt.
⑦Adjust the Dual protecting harness.
⑧Fasten securely the shoulder adjustable safety buckle.
⑨Adjust the shoulder safety straps.
⑩Fasten securely the waist safety buckle.
⑪Adjust the waist safety belt.



Warning
・Please inspect yourself at a mirror to correct the using position.
It could lead to a baby falling down or the risk of an accident, if it is used incorrectly.

How to put the baby down from the front carrying position

❶Sit down in a safe position, hold the baby then open the adjustable safety buckle and take off the shoulder safety straps.
❷Open the fixed buckle of the dual protecting harness.
❸Slowly put down the baby.



Warning
・When putting the baby down, be sure you are in a safe position.
If you do it in an unstable place, the baby could fall down.


Waist carrying method


(both left and right sides are suitable.
The user manual shows the right side waist carrying as an example)


❶Remove sleep-inducing head protection cover (see P22)
❷Check P18「Vertical carrying method❶～❸」to fix the waist safety belt.
❸Open left and right shoulder adjustable safety buckles.

❹Pass the right side shoulder adjustable safety buckle through the left side elastic band. Fasten the fixed buckle.


❺After passing the right arm and the head, lean down and put the shoulder safety straps over your shoulders.
❻Move the waist safety belt around to the right side.









❼Put the baby on the sling.




❽Move the right side shoulder safety strap around the waist.



❾Remove the shoulder safety strap from the waist by the left side.
❿Pass the shoulder adjustable safety buckle through the elastic band. Fasten the fixed buckle.







Extend the remaining part of the waist safety belt front end over the elastic band.

Waist carrying method

⓫Adjust the shoulder safety straps.
⓬Use the elastic band to roll up the remaining part of the safety belt.
⓭Adjust the baby's position.






Advice

・Adjust again the shoulder safety straps and the waist safety belt if feeling too much pressure on the shoulders or waist.

⓮Please, inspect yourself in a mirror to check the correct position.
※If it is incorrect, please fix it and adjust it again.

Waist carrying security check

①Make sure the baby's legs out of sling.
②Fasten securely the shoulder adjustable safety buckle.
③Adjust the shoulder safety straps.
④Fasten securely the waist safety buckle.
⑤Adjust the waist safety belt.




・When using it, please use your hands to hold the baby.


Warning
・Please, inspect yourself at a mirror to check the correct position.
It could lead to a baby falling down or risk of accident, if it is used incorrectly.
・Please note that baby curling their bodies or placing their feet unnaturally. There may be a risk of the baby falling out or injury to the baby.

Baby sling store method


❶Fasten the shoulder adjustable safety buckle. (left-right)
❷Fasten the adjustable safety buckle.
❸Open the waist safety buckle and open the baby sling.
❹Fold the left and right side of the shoulder safety straps towards the center overlapping each other, and then roll them towards the direction of the label.



❺Pull out the packing belt from the waist safety belt.
❻Roll up the fixed belt and fasten the fixed buckle.



❼Fasten the waist safety buckle and adjust the waist safety belt.



Under situation❻, the waist safety belt can also be attached directly to the body.



Others

Q&A

Q Should the dual protecting harness be fixed to the baby's upper arm? Or should it be fixed to the lower part?

A Depending on baby's growth, both methods are OK.
From the schematic standard point of view, with respect to babies that cannot sit by themselves, attach the fixed buckle of the dual protecting harness on the upper arm. For babies that can sit by themselves, attach it to the lower arm.

Q When in vertical carrying position, I feel like the whole body is "buried" inside and I cannot see baby's face. Can I use it in this way?

A With respect to the baby's height, if it is too long when leaning on the back, put a towel on the baby's bottom to adjust the height. In addition, leave the waist safety belt position slightly higher on your waist (see P22 and P29)

Q Which position is better for the waist safety belt?

A Generally, the waist safety belt best position is slightly lower than the waist bone. This can reduce the pressure caused by the weight on your body. Depending on baby's height, adjust it to the most suitable position.

Q The extra-long hanging safety belt part does not feel quite right.

A You can use the elastic band to roll up the safety belt (see P9, P10 and P11)

Q When in a vertical carrying position, is it alright if the shoulder remains exposed?

A It is not a problem if the arms are exposed on the outside. However, when the baby's upper part of the body is not stable, especially when babies still cannot sit by themselves, you should hold them with your hands.

Q When the baby's skin and the sling cloth are in contact with each other, the skin can become red...

A When baby's skin shows markings or becomes red because of contact with the sling cloth, put some clothes on the baby to cover the exposed parts or cover them with a soft towel to prevent contact.

Japan
アップリカ・チルドレンズプロダクツ合同会社
本社/大阪店 ―〒542−0082大阪市中央区島之内1−13−13 **TEL0120-415-814**
Aprica Children's Products G.K.
1-13-13, Shimanouchi, Chuo-Ku, Osaka, Japan

Taiwan
台灣愛普力卡股份有限公司
總公司地址：新竹縣竹北市台元街28號5樓之3　電話:(03)5525688
維修服務中心地址：新竹縣竹北市福興路885號　電話:(03)6561261
公司網址：http://www.aprica.com.tw
E-mail：0800@aprica.com.tw　統一編號：22662003